

## GOVERNMENT OF INDIA MINISTRY OF SKILL DEVELOPMENT & ENTREPRENEURSHIP DIRECTORATE GENERAL OF TRAINING

# **COMPETENCY BASED CURRICULUM**



(Duration: Two Years) CRAFTSMEN TRAINING SCHEME (CTS) NSQF LEVEL- 5



# SECTOR – CAPITAL GOODS AND MANUFACTURING





## (Engineering Trade)

(Revised in 2019)

Version: 1.2

# **CRAFTSMEN TRAINING SCHEME (CTS)**

# **NSQF LEVEL - 5**

Developed By

Ministry of Skill Development and Entrepreneurship Directorate General of Training **CENTRAL STAFF TRAINING AND RESEARCH INSTITUTE** EN-81, Sector-V, Salt Lake City, Kolkata – 700 091 www.cstaricalcutta.gov.in

S No.	Topics	Page No.
1.	Course Information	1
2.	Training System	3
3.	Job Role	7
4.	General Information	8
5.	Learning Outcome	11
6.	Assessment Criteria	13
7.	Trade Syllabus	21
8	Annexure I (List of Trade Tools & Equipment)	45
9	Annexure II (List of Trade experts)	56



## **1. COURSE INFORMATION**

During the two-year duration a candidate is trained on subjects Professional Skill, Professional Knowledge, Engineering Drawing, Workshop Science & Calculation and Employability Skill related to job role. In addition to this a candidate is entrusted to make/do project work and Extra Curricular Activities to build up confidence. The practical skills are imparted in simple to complex manner & simultaneously theory subject is taught in the same fashion to apply cognitive knowledge while executing task. The practical part starts with basic fitting with tolerance level  $\pm$  0.5mm and finally to  $\pm$  0.02mm and angular tolerance from 1° to 10' at the end of the course. The broad components covered under Professional Skill subject are as below:

**FIRST YEAR:** The practical part starts with basic fitting in the beginning and the candidate also imparted training on allied trades viz., Sheet Metal, Welding (Gas & Arc) which leads to multi-skilling. In the basic fitting the skills imparted are sawing, filing, marking, chipping, measurement, riveting, soldering, brazing, drilling and observation of all safety aspects is mandatory. The accuracy achieved is of±0.25 mm. The safety aspects cover components like OSH & E, PPE, Fire extinguisher, First Aid and in addition 5S being taught.

Different drilling operations (through, blind, angular), reaming, offhand grinding, tapping, dieing, different fits viz., sliding fit, etc., scraping, fastening (nuts & bolts, riveting, studs, screws, etc.,). The accuracy achieved is of± 0.04 mm and angular accuracy to 30minutes. Different turning operations on lathe (step, grooving, chamfering, drilling, boring, knurling & threading), simple repair, overhauling and lubrication work on machine are being taught in the practical.

**SECOND YEAR**: Power tool operation, different complex assembling and fitting, fastening, lapping, making gauges, pipe works and pipe joints, Dismantling, overhauling& assembling valves are covered. The accuracy achieved is of an accuracy of ± 0.02 mm & 10 minutes.

Making & using drill jigs, making of critical components, repair & maintenance of power transmission system, making of template & complex gauges, identify different Pneumatic & hydraulic components and circuit construction, repair & maintenance of machinery like lathe, drill, grinding, bench drilling, Inspection of Machine tools, Accuracy testing of Machine tools and erection of simple machines are being performed as part of practical training.

Professional Knowledge subject is simultaneously taught in the same fashion to apply cognitive knowledge while executing task. In addition components like Physical properties of engineering materials, Interchangeability, Method of expressing tolerance as per BIS Fits,



different types of iron, properties and uses, special files, honing, Metallurgical and metal working processes such as Heat treatment, the various coatings used to protect metals, different bearing, working material with finished surface as aluminium, duralumin and stainless steel, topics related to non-ferrous metals, Method of lubrication are also covered under theory part.

Total three projects need to be completed by the candidates in a group. In addition to above components the core skills components viz., Workshop calculation & science, Engineering drawing, employability skills are also covered. These core skills are essential skills which are necessary to perform the job in any given situation.



### **2.1 GENERAL**

The Directorate General of Training (DGT) under Ministry of Skill Development &Entrepreneurship offers a range of vocational training courses catering to the need of different sectors of economy/ Labour market. The vocational training programmes are delivered under the aegis of Directorate General of Training (DGT). Craftsman Training Scheme (CTS) with variants and Apprenticeship Training Scheme (ATS) are two pioneer schemes of DGT for strengthening vocational training.

Fitter trade under CTS is one of the most popular courses delivered nationwide through network of ITIs. The course is of two years duration. It mainly consists of Domain area and Core area. The Domain area (Trade Theory & Practical) impart professional skills and knowledge, while Core area (Workshop Calculation science, Engineering Drawing and Employability Skills) imparts requisite core skills, knowledge and life skills. After passing out of the training program, the trainee is awarded National Trade Certificate (NTC) by DGT which is recognized worldwide.

### Candidates broadly need to demonstrate that they are able to:

- Read & interpret technical parameters/document, plan and organize work processes, identify necessary materials and tools;
- Perform task with due consideration to safety rules, accident prevention regulations and environmental protection stipulations;
- Apply professional skill, knowledge, core skills & employability skills while performing jobs.
- Check the job/assembly as per drawing for functioning, identify and rectify errors in job/assembly.
- Document the technical parameters related to the task undertaken.

### 2.2 PROGRESSION PATHWAYS:

- Can join industry as Technician and will progress further as Senior Technician, Supervisor and can rise to the level of Manager.
- Can become Entrepreneur in the related field.
- Can appear in 10+2 examination through National Institute of Open Schooling (NIOS) for acquiring higher secondary certificate and can go further for General/ Technical education.



- Can take admission in diploma course in notified branches of Engineering by lateral entry.
- Can join Apprenticeship programme in different types of industries leading to National Apprenticeship certificate (NAC).
- Can join Crafts Instructor Training Scheme (CITS) in the trade for becoming instructor in ITIs.
- Can join Advanced Diploma (Vocational) courses under DGT as applicable.

## **2.3 COURSE STRUCTURE:**

Table below depicts the distribution of training hours across various course elements during a period of two years: -

S No.	Course Element	Notional Training Hours		
5 NO.	Course Element	1 <sup>st</sup> Year	2 <sup>nd</sup> Year	
1	Professional Skill (Trade Practical)	1000	1000	
2	Professional Knowledge (Trade Theory)	280	360	
3	Workshop Calculation & Science	80	80	
4	Engineering Drawing	80	80	
5	Employability Skills	160	80	
	Total	1600	1600	

## 2.4 ASSESSMENT & CERTIFICATION:

The trainee will be tested for his skill, knowledge and attitude during the period of course through formative assessment and at the end of the training programme through summative assessment as notified by the DGT from time to time.

a) The **Continuous Assessment (Internal)** during the period of training will be done by **Formative assessment method** by testing for assessment criteria listed against learning outcomes. The training institute has to maintain individual *trainee portfolio* as detailed in assessment guideline. The marks of internal assessment will be as per the formative assessment template provided on <u>www.bharatskills.gov.in</u>.

b) The final assessment will be in the form of summative assessment method. The All India Trade Test for awarding NTC will be conducted by Controller of examinations, DGT as per the guidelines. The pattern and marking structure are being notified by DGT from time to time. The learning outcome and assessment criteria will be basis for setting question papers for final assessment. The examiner during final examination will also check individual trainee's profile as detailed in assessment guideline before giving marks for practical examination.



### **2.4.1 PASS REGULATION**

For the purposes of determining the overall result, weightage of 100% is applied for six months and one-year duration courses and 50% weightage is applied to each examination for two years courses. The minimum pass percent for Trade Practical and Formative assessment is 60% & for all other subjects are 33%. There will be no Grace marks.

#### **2.4.2 ASSESSMENT GUIDELINE**

Appropriate arrangements should be made to ensure that there will be no artificial barriers to assessment. The nature of special needs should be taken into account while undertaking assessment. Due consideration should be given while assessing for teamwork, avoidance/reduction of scrap/wastage and disposal of scarp/wastage as per procedure, behavioral attitude, sensitivity to environment and regularity in training. The sensitivity towards OSHE and self-learning attitude are to be considered while assessing competency.

Assessment will be evidence based comprising the following:

- Job carried out in labs/workshop
- Record book/ daily diary
- Answer sheet of assessment
- Viva-voce
- Progress chart
- Attendance and punctuality
- Assignment
- Project work

Evidences and records of internal (Formative) assessments are to be preserved until forthcoming examination for audit and verification by examination body. The following marking pattern to be adopted while assessing:

Performance Level	Evidence
(a) Weightage in the range of 60 -75% to be allot	ted during assessment
For performance in this grade, the candidate	• Demonstration of good skill in the use
with occasional guidance and showing due	of hand tools, machine tools and
regard for safety procedures and practices, has	workshop equipment
produced work which demonstrates	• 60-70% accuracy achieved while



attainment of an acceptable standard of craftsmanship.	<ul> <li>undertaking different work with those demanded by the component/job/set standards.</li> <li>A fairly good level of neatness and consistency in the finish</li> <li>Occasional support in completing the project/job.</li> </ul>
(b)Weightage in the range of above75% - 90% to	b be allotted during assessment
For this grade, the candidate, with little guidance and showing due regard for safety procedures and practices, has produced work which demonstrates attainment of a reasonable standard of craftsmanship.	<ul> <li>Good skill levels in the use of hand tools, machine tools and workshop equipment</li> <li>70-80% accuracy achieved while undertaking different work with those demanded by the component/job/set standards.</li> <li>A good level of neatness and consistency in the finish</li> <li>Little support in completing the project/job</li> </ul>
(c) Weightage in the range of above 90% to be a	llotted during assessment
For performance in this grade, the candidate, with minimal or no support in organization and execution and with due regard for safety procedures and practices, has produced work which demonstrates attainment of a high standard of craftsmanship.	<ul> <li>High skill levels in the use of hand tools, machine tools and workshop equipment</li> <li>Above 80% accuracy achieved while undertaking different work with those demanded by the component/job/set standards.</li> <li>A high level of neatness and consistency in the finish.</li> <li>Minimal or no support in completing the project.</li> </ul>



Fitter General; Sizes metal parts to close tolerances and fits and assembles them using hand tools for production or repairs of machines, or other metal products. Studies drawings to understand specification of different parts, fittings or assembles to be made and their functions. They select materials, appropriate tool and equipments to carry out their work. Holds the work in Vice, Cuts and shapes required parts to dimensions and specifications by processes of sawing, chipping, filing, grinding, drilling holes, screw cutting, scrapping etc., using hand tools for making specimens or finished components. Measures object while working using foot rules, calipers, micrometer, gauges etc. and checks for correct filing with square. Gets half-finished object marked or marks it himself using face plate, marking block scriber, vernier, height gauges, vee-blocks, angle plate, sine plate, slip gauges, combination set, etc. depending on accuracies required, to indicate guide lines for finished sizes, holes to be drilled and pitch centres, threads to be cut and other working details as specified in drawing or sample. Clamps object securely in correct position in vice and files it to required dimensions according to punch marks and guide lines frequently measuring it with calipers, micrometre, vernier, gauges etc, makes holes with drill, cuts threads with taps and dies ensuring that they are square or at required angle to base. Measures finished article with dial indicator, micrometre, vernier, height gauges, screw gauges, plug gauges, sine bar, slip gauge, etc according to prescribed accuracies. May make parts separately and assemble those with screws, rivets, pins, etc. as specified so as to make complete unit according to drawing. Dismantles or removes worn out, broken or defective parts using hand tools or power tools and replaces them by repaired or new ones. Performs repairing and maintenance work (including preventive maintenance) of simple machines, dismantles and replaces different components to construct circuit of Pneumatics and Hydraulics. Tests completed article/ assembly to ensure correct performance. May do simple turning of parts on machines and perform welding, brazing, and like operations. May explain heat treatment processes viz., annealing, hardening, tempering etc. May specialize in particular type of machine or product and be designated accordingly. May suggest alterations.

In addition, Fitter have the ability to visualize the job, good coordination, mechanical attitude, manual dexterity and perform work related mathematical calculations.

Plan and organize assigned work and detect & resolve issues during execution. Demonstrate possible solutions and agree tasks within the team. Communicate with required clarity and understand technical English. Sensitive to environment, self-learning and productivity.

May be designated as FITTER General according to nature of work done.

Reference NCO 2015:

i) 7233.0100 – Fitter, General ii) 7233.0200 – Fitter, Bench



# **4. GENERAL INFORMATION**

Name of the Trade	FITTER
Trade Code	DGT/1002
NCO - 2015	7233.0100, 7233.0200
NSQF Level	Level – 5
Duration of Craftsmen Training	Two years (3200 Hours)
Entry Qualification	Passed 10 <sup>th</sup> class examination with Science and Mathematics or its equivalent.
Minimum Age	14 years as on first day of academic session.
Eligibility for PwD	LD, LC, DW, AA, LV, DEAF
Unit Strength (No. Of Student)	20 (There is no separate provision of supernumerary seats)
Space Norms	88 Sq.m
Power Norms	3.51 KW
Instructors Qualification	for
1. Fitter Trade	B.Voc/Degree in Mechanical Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field. <b>OR</b> 03 years Diploma in Mechanical Engineering from AICTE /recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field.
	OR
	NTC/NAC passed in the Trade of "Fitter" With three years' experience in the relevant field.
	Essential Qualification:
	Relevant National Craft Instructor Certificate (NCIC) in any of the



	variants under DGT.
	Note:- Out of two Instructors required for the unit of 2(1+1), one must have Degree/Diploma and other must have NTC/NAC qualifications. However, both of them must possess NCIC in any of its variants.
2. Workshop Calculation & Science	B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field. OR 03 years Diploma in Engineering from AICTE / recognized board of technical education or relevant Advanced Diploma (Vocational)
	from DGT with two years' experience in the relevant field. OR NTC/ NAC in any one of the engineering trades with three years' experience.
	Essential Qualification: National Craft Instructor Certificate (NCIC) in relevant trade OR
3. Engineering Drawing	NCIC in RoDA or any of its variants under DGT B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field.
	OR O3 years Diploma in Engineering from AICTE / recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field. OR NTC/ NAC in any one of the Mechanical group (Gr-I) trades
	categorized under Engg. Drawing'/ D'man Mechanical / D'man Civil' with three years' experience. Essential Qualification: National Craft Instructor Certificate (NCIC) in relevant trade OR
	NCIC in RoDA / D'man (Mech /civil) or any of its variants under



		DGT.				
4. Employability Skill		I MBA/ BI	MBA/ BBA / Any Graduate/ Diploma in any discipline with Two			
		years' e	xperience w	ith short term	ToT Course	in Employability
		Skills fro	m DGT instit	utes.		
		(Must h	(Must have studied English/ Communication Skills and Basic			
		Compute	Computer at 12th / Diploma level and above)			
				OR		
		Existing	Social Studi	es Instructors	in ITIs with	short term ToT
		Course in	n Employabil	ity Skills from D	OGT institutes	
5. Minimum Age for		21 Years				
Instructor		ZITEdis	21 (60)3			
List of Tools and		As per A	As per Annexure – I			
Equipment						
Distribut	Distribution of training on Hourly basis: (Indicative only)					
	Total Hrs	Trade	Trade	Workshop	Engg.	Employability
Year	/week	Practical	Theory	Cal. & Sc.	Drawing	Skills
1 <sup>st</sup>	40 Hours	25 Hours	7 Hours	2 Hours	2 Hours	4 Hours
2 <sup>nd</sup>	40 Hours	25 Hours	9 Hours	2 Hours	2 Hours	2 Hours



Learning outcomes are a reflection of total competencies of a trainee and assessment will be carried out as per the assessment criteria.

## **5.1 LEARNING OUTCOMES (TRADE SPECIFIC)**

#### FIRST YEAR:

- Plan and organize the work to make job as per specification applying different types of basic fitting operation and Check for dimensional accuracy following safety precautions. [Basic fitting operation – Marking, Hacksawing, Chiselling, Filing, Drilling, Taping and Grinding etc. Accuracy: ± 0.25mm]
- 2. Manufacture simple sheet metal items as per drawing and join them by soldering, brazing and riveting.
- 3. Join metal components by riveting observing standard procedure.
- 4. Join metal component by arc welding observing standard procedure.
- 5. Cut and join metal component by gas (oxyacetylene)
- Produce components by different operations and check accuracy using appropriate measuring instruments. [Different Operations - Drilling, Reaming, Taping, Dieing; Appropriate Measuring Instrument – Vernier, Screw Gauge, Micrometer]
- Make different fit of components for assembling as per required tolerance observing principle of interchange ability and check for functionality. [Different Fit – Sliding, Angular, Step fit, 'T' fit, Square fit and Profile fit; Required tolerance: ±0.04 mm, angular tolerance: 30 min.]
- 8. Produce components involving different operations on lathe observing standard procedure and check for accuracy. [Different Operations facing, plain turning, step turning, parting, chamfering, shoulder turn, grooving, knurling, boring, taper turning, threading (external 'V' only)]
- Plan & perform simple repair, overhauling of different machines and check for functionality. [Different Machines – Drill Machine, Power Saw, Bench Grinder and Lathe]

#### SECOND YEAR:

 Make & assemble components of different mating surfaces as per required tolerance by different surface finishing operations using different fastening components, tools and check functionality. [Different Mating Surfaces – Dovetail fitting, Radius fitting, Combined fitting; Different surface finishing operations – Scraping, Lapping and



Honing; Different fastening components – Dowel pins, screws, bolts, keys and cotters; Different fastening tools-hand operated & power tools, Required tolerance  $\pm$  20.02mm, angular tolerance  $\pm$  10 min.]

- Make different gauges by using standard tools & equipment and checks for specified accuracy. [Different Gauges – Snap gauge, Gap gauge; Specified Accuracy - ±0.02mm]
- 12. Apply a range of skills to execute pipe joints, dismantle and assemble valves & fittings with pipes and test for leakages. [Range of skills Cutting, Threading, Flaring, Bending and Joining]
- 13. Make drill jig & produce components on drill machine by using jigs and check for correctness.
- 14. Plan, dismantle, repair and assemble different damaged mechanical components used for power transmission & check functionality. [Different Damage Mechanical Components Pulley, Gear, Keys, Jibs and Shafts.]
- Identify, dismantle, replace and assemble different pneumatics and hydraulics components. [Different components – Compressor, Pressure Gauge, Filter Regulator Lubricator, Valves and Actuators.]
- 16. Construct circuit of pneumatics and hydraulics observing standard operating procedure & safety aspect.
- 17. Plan & perform basic day to day preventive maintenance, repairing and check functionality. [Simple Machines Drill Machine, Power Saw and Lathe]
- Plan, erect simple machine and test machine tool accuracy. [Simple Machines Drill Machine, Power Saw and Lathe]



## **6. ASSESSMENT CRITERIA**

	LEARNING OUTCOMES	ASSESSMENT CRITERIA
		FIRST YEAR
1.	Plan and organize the work	Plan & Identify tools, instruments and equipment for
	to make job as per	marking and make this available for use in a timely manner.
	specification applying	Select raw material and visual inspect for defects.
	different types of basic	Mark as per specification applying desired mathematical
	fitting operation and Check	calculation and observing standard procedure.
	for dimensional accuracy	Measure all dimensions in accordance with standard
	following safety	specifications and tolerances.
	precautions. [Basic fitting	Identify Hand Tools for different fitting operations and
	operation – marking,	make these available for use in a timely manner.
	Hacksawing, Chiselling,	Prepare the job for Hacksawing, chiselling, filing, drilling,
	Filing, Drilling, Taping and	tapping, grinding.
	Grinding etc. Accuracy: ±	Perform basic fitting operations viz., Hacksawing, filing,
	0.25mm]	drilling, tapping and grinding to close tolerance as per
		specification to make the job.
		Observe safety procedure during above operation as per
		standard norms and company guidelines.
		Check for dimensional accuracy as per standard procedure.
		Avoid waste, ascertain unused materials and components
		for disposal, store these in an environmentally appropriate
		manner and prepare for disposal.
2.	Manufacture simple sheet	Identify Hand Tools for Sheet Metal work, Soldering,
	metal items as per drawing	Brazing & riveting and make these available for use in a
	and join them by soldering,	timely manner.
	brazing and riveting.	Mark and develop various forms as per drawing using sheet
		metals.
		Make of simple items with sheet metal as per drawing.
		Prepare the job for Soldering, Brazing &riveting.
		Identify different type of rivets and use as per requirement.
		Identify tools for drilling and use these tools.
		Mark according to drawing.
		Drill through holes on the job.
		Solder, Braze and Rivet to prepare a job as per given



		drawing / sample following standard practices.
		Observe safety procedure during riveting as per standard
		norms and company guidelines.
3.	Join metal components by	Identify Tools and equipments for riveting and make these
	riveting observing	available for use in a timely manner.
	standard procedure.	Prepare the job for lap and butt joint.
		Identify different type of rivets and use as per requirement.
		Identify tools for drilling and use these tools.
		Mark according to drawing.
		Drill through holes on the job.
		Rivet to prepare a job as per given drawing / sample
		following standard practices.
		Observe safety procedure during riveting as per standard
		norms and company guidelines.
4.	Join metal component by	Identify different components/parts of arc welding
	arc welding observing	machine, collect desired information and set each
	standard procedure.	components/parts as per standard procedure.
		Observe safety/ precaution during operation.
		Select appropriate material & plan for arc welding.
		Weld metal parts / mechanical components as per
		specification observing standard procedure.
		Check joined part portion to ascertain proper welding.
5.		Identify different components/parts of Gas (oxyacetylene)
	component by gas	machine, collect desired information and set each
	(oxyacetylene).	components/parts as per standard procedure.
		Observe safety/ precaution during operation.
		Select appropriate material & plan for gas cutting & joining
		operation.
		Cut & join metal parts / mechanical components as per
		specification observing standard procedure.
		Check cut portion/ joined part to ascertain proper welding.
E	Draduca componente hu	Accortain and coloct tools and materials for the ich and
6.	Produce components by	Ascertain and select tools and materials for the job and
	different operations and	make this available for use in a timely manner.



	ale al ser ser stra	New set is seen the set of set of set of set
	check accuracy using	Plan work in compliance with standard safety norms.
	appropriate measuring	Produce component by observing standard procedure.
	instruments.[Different	Check the dimensions of the produced components to
	Operations - Drilling,	ensure dimensions are within prescribed limit.
	Reaming, Taping, Dieing;	Avoid waste, ascertain unused materials and components
	Appropriate Measuring	for disposal, store these in an environmentally appropriate
	Instrument – Vernier,	manner and prepare for disposal.
	Screw Gauge, Micrometer]	
7.	Make different fit of	Recognize general concept of Limits, Fits and tolerance
	components for	necessary for fitting applications and functional application
	assembling as per required	of these parameters.
	tolerance observing	Ascertain and select tools and materials for the job and
	principle of	make this available for use in a timely manner.
	interchangeability and	Set up workplace/ assembly location with due
	check for functionality.	consideration to operational stipulation
	[Different Fit – Sliding,	Plan work in compliance with standard safety norms and
	Angular, Step fit, 'T' fit,	collecting desired information.
	Square fit and Profile fit;	Demonstrate possible solutions and agree tasks within the
	Required tolerance: ±0.04	team.
	mm, angular tolerance: 30	Make components according to the specification for
	min.]	different fit using a range of practical skills and ensuring
		interchangeability of different parts.
		Assemble components applying a range of skills to ensure
		proper fit.
		Check functionality of components.
8.	Produce components	Ascertain basic working principles and safety aspect of
	involving different	lathe machine.
	operations on lathe	Understand functional application of different levers,
	observing standard	stoppers, adjustment etc.
	procedure and check for	Identify different lubrication points and lubricants, their
	accuracy. [Different	usage for application in lathe machine as per machine
	Operations – facing, plain	manual.
	turning, step turning,	Identify different work and tool holding devices and collect
	parting, chamfering,	information for functional application of each device.
	shoulder turn, grooving,	Mount the work and tool holding devices with required



knurling, boring, taper	alignment and check for its functional usage to perform
turning, threading	lathe operations.
(external 'V' only)]	Solve problem by applying basic methods, tools, materials
	and information during setting.
	Observe safety procedure during mounting as per standard
	norms.
	Produce components observing standard procedure.
	Check accuracy/ correctness of job using appropriate
	equipment/gauge.
	Avoid waste, ascertain unused materials and components
	for disposal, store these in an environmentally appropriate
	manner and prepare for disposal.
9. Plan&perform simple	Ascertain and select tools and materials for the repair,
repair, <i>overhauling</i> of	overhauling and make this available for use in a timely
different machines and	manner.
check for functionality.	Plan work in compliance with standard safety norms.
[Different	Demonstrate possible solutions and agree tasks within the
Machines – Drill Machine,	team.
Power Saw, Bench Grinder	Select specific parts to be repaired and ascertain for
and Lathe]	appropriate material and estimated time.
	Repair, overhaul and assemble the parts in the machine
	with the help of blueprint.
	Check for functionality of part and ascertain faults of the
	part/ machine in case of improper function.
	Rectify faults of assembly.
	SECOND YEAR
10. Make &assemble	Ascertain and select tools and materials for the job and
components of different	make this available for use in a timely manner.
mating <i>surfaces</i> as per	Plan work in compliance with standard and collecting
required tolerance by	necessary information.
different surface finishing	Set up workplace/ assembly location with due
operations using different	consideration to operational stipulation
fastening components,	Demonstrate possible solutions and agree tasks within the
tools and check	team.
functionality. [	Produce different components with appropriate accuracy
Different Mating Surfaces	by observing standard procedure& method as per



Dovetail fitting Radius	specification using appropriate tools & machines
– Dovetail fitting, Radius	specification using appropriate tools & machines.
fitting, Combined fitting;	Perform scraping and lapping of components to obtain
Different surface finishing	required surface finish of different mating surface.
operations – Scraping,	Comply with safety rules when performing the above
Lapping and Honing;	operations.
Different fastening	Check tolerance and accuracy of components as defined
components – Dowel pins,	with appropriate instruments observing standard
screws, bolts, keys and	procedure.
cotters; Different fastening	Assemble different components using different fastening
tools-hand operated &	components, tools and check the functionality.
power tools, Required	
tolerance - ±0.02mm,	
angular tolerance ± 10	
min.]	
	1
11. Make different gauges by	Ascertain and select tools and materials for the job and
using standard tools &	make this available for use in a timely manner.
equipment and checks for	Plan work in compliance with standard safety norms.
specified accuracy.	Produce gauge by observing appropriate method and as per
[Different Gauges – Snap	specification of drawing.
gauge, Gap gauge;	Perform Lapping of gauge to obtain required finish as per
Specified Accuracy -	drawing.
±0.02mm]	
±0.0211111j	Check tolerance and specified accuracy of gauge with
	appropriate measuring instruments as per drawing.
	Avoid waste, ascertain unused materials and components
	for disposal, store these in an environmentally appropriate
	manner and prepare for disposal.
12. Apply a range of skills to	Ascertain and select tools and materials for the job and
execute pipe joints,	make this available for use in a timely manner.
dismantle and assemble	Plan to Dismantle and assemble valves and pipe fittings.
valves & fittings with pipes	Dismantle valves and fittings in pipes applying range of
and test for	skills andcheck for defect as per standard procedure.
leakages.[Range of skills –	Demonstrate possible solutions in case of defect and agree
Cutting, Threading,	tasks within the team for repair or replacement.
Flaring, Bending and	Assemble valves and various pipe fittings using range of
Joining ]	skills and observing standard procedure.
	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



	Test for leakage and appropriate functioning of valves.
	Avoid waste, ascertain unused materials and components
	for disposal, store these in an environmentally appropriate
	manner and prepare for disposal.
13. Make drill jig & produce	Set up workplace/ assembly location with due
components on drill	consideration to operational stipulation
machine by using jigs and	Ascertain and select tools and materials for the job and
check for correctness.	make this available for use in a timely manner.
	Collect information related to standard procedure,
	methods and tools to make drill jigs.
	Mark the components as per drawing.
	Make drill jigs by turning, drilling, reaming, filing, taping,
	etc.
	Test the functionality of jig.
	Select suitable jigs for drilling considering desired result
	and collecting necessary information.
	Produce component by using jig observing standard
	procedure and check the correctness of the job.
	Comply with safety rules when performing the above
	operations.
	1
14. Plan, dismantle, repair and assemble different	Select and ascertain tools and materials for the job and make this available for use in a timely manner.
damaged mechanical	Plan to dismantle, repair and assemble mechanical
components used	components used for power transmission as per drawing
for power transmission &	and collecting necessary information.
check functionality.	Perform dismantling and appropriate repairing of
, [Different Damage]	mechanical components with accuracy applying range of
Mechanical Components –	skills and appropriate repairing processes.
Pulley, Gear, Keys, Jibs and	Check the accuracy of the repaired components with
Shafts.]	
Shajts.j	appropriate gauge & instruments.
	Assemble the repaired mechanical components observing
	standard procedure.
	Comply with safety rules when performing the above
	operations.
	Check different parameters of power transmission e.g.



	R.P.M, slackness of belts, matching of gears/ clutches, loss	
	of RPM etc.	
	Check for functionality of power transmission system or	
	any assembly as per standard parameters.	
15. Identify, dismantle, replace	Select and ascertain tools for the job and make this	
and assemble different	available for use in a timely manner.	
pneumatics and hydraulics	Identify different pneumatics and hydraulics components.	
components. [Different	Plan to dismantle and replace pneumatics & hydraulics	
components – Compressor,	circuit as per drawing and collecting necessary information.	
Pressure Gauge, Filter	Perform dismantling and replacing of different components	
Regulator Lubricator,	with accuracy applying range of skills and standard	
Valves and Actuators.]	operating procedure.	
	Assemble different components.	
	Check functionality of the components.	
16. Construct circuit of	Select and ascertain tools for the job and make this	
pneumatics and hydraulics	available for use in a timely manner.	
observing standard	Plan to construct pneumatics & hydraulics circuit as per drawing and collecting necessary information. Demonstrate possible solutions and agree tasks within the	
operating procedure&		
safety aspect.		
	team for constructing circuit.	
	Construct circuit of pneumatics and hydraulics observing	
	standard procedure.	
	Comply with safety rules when performing the above	
	operations.	
	Check different parameters and functionality of the system.	
17. Plan & perform basic day	Ascertain preventive maintenance/repair procedure as per	
to day preventive	manual of machine and select appropriate tools &	
maintenance, repairing	equipment for undertaking job.	
and check functionality.	Interpret construction, alignment and assembly of different	
[Simple Machines – Drill	parts of machine.	
Machine, Power Saw and	Plan to carry out the preventive maintenance/repair task	
Lathe]	with appropriate accuracy of simple machine by collecting	
	necessary information.	
	Demonstrate possible solutions and agree tasks within the	



	team.		
	Perform preventive maintenance/dismantle, repair parts		
	and assemble sub-assemblies of simple machine as per		
	layout plan and standard procedure.		
	Put the machine in operation complying Standard		
	operating procedure.		
	Check for proper functioning of repaired machine and		
	other parameters of simple machine as per manual after		
	erection.		
	Dispose unsalvageable materials as per standard		
	procedures.		
18. Plan, erect simple machine	Ascertain erection procedure as per manual of machine		
and test machine tool	and select appropriate tools & equipment for undertaking		
accuracy. [Simple	job.		
Machines – Drill Machine,	Interpret construction, alignment and assembly of different		
Power Saw and Lathe]	parts of machine.		
	Set up workplace/ assembly location with due		
	consideration to operational stipulation		
	Plan to carry out the erection of simple machine by		
	collecting necessary information.		
	Demonstrate possible solutions and agree tasks within the		
	team.		
	Erect simple machine as per layout plan and standard		
	procedure.		
	Put the machine in operation complying Standard		
	operating procedure.		
	Check alignment of erected machine and other parameters		
	of simple machine as per manual after erection.		
	Dispose unsalvageable materials as per standard		
	procedures.		



\_\_\_\_\_

SYLLABUS FOR FITTER TRADE			
FIRST YEAR			
Duration	Reference Learning Outcome	Professional Skills (Trade Practical) with Indicative Hours	Professional Knowledge (Trade Theory)
Professional Skill 250 Hrs; Professional Knowledge 70 Hrs	Plan and organize the work to make job as per specification applying different types of basic fitting operation and Check for dimensional accuracy following safety precautions. [Basic fitting operation – marking, Hacksawing, Chiseling, Filing, Drilling, Taping and Grinding etc. Accuracy: ± 0.25mm]	<ol> <li>Importance of trade training, List of tools &amp; Machinery used in the trade. (1 hr.)</li> <li>Safety attitude development of the trainee by educating them to use Personal Protective Equipment (PPE). (5 hrs.)</li> <li>First Aid Method and basic training. (2 hrs.)</li> <li>Safe disposal of waste materials like cotton waste, metal chips/burrs etc. (2 hrs.)</li> <li>Hazard identification and avoidance. (2 hrs.)</li> <li>Safety signs for Danger, Warning, caution &amp; personal safety message. (1 hrs.)</li> <li>Preventive measures for electrical accidents &amp; steps to be taken in such accidents. (2 hrs.)</li> <li>Use of Fire extinguishers. (7 hrs.)</li> <li>Practice and understand</li> </ol>	e.g.; power failure, fire, and
		<ol> <li>Use of Fire extinguishers.</li> <li>(7 hrs.)</li> </ol>	Health: Health, Safety and Environment guidelines,



followed while working in	
fitting jobs. (2 hrs.)	Basic understanding on Hot
10. Safe use of tools and	work, confined space work
	•
equipments used in the	5
trade. (1 hrs.)	equipment. (07 hrs.)
11. Identification of tools	Linear measurements- its
&equipment as per desired	units, dividers, calipers,
specifications for marking	hermaphrodite, centre punch,
& sawing. (5 hrs.)	dot punch, prick punch their
12. Selection of material as per	description and uses of
application. (1 hrs.)	different types of hammers.
13. Visual inspection of raw	Description, use and care of
material for rusting,	'V' Blocks, marking off table.
scaling, corrosion etc. (1	Measuring standards (English,
hrs.)	Metric Units), angular
14. Marking out lines, gripping	measurements.
suitably in vice jaws,	(07 hrs.)
hacksawing to given	
dimensions. (10 hrs.)	
15. Sawing different types of	
metals of different	
sections. (8 hrs.)	
16. Filing Channel, Parallel. (5	Bench vice construction,
hrs.)	types, uses, care &
17. Filing- Flat and square	maintenance, vice clamps,
(Rough finish), (10 hrs.)	hacksaw frames and blades,
	,
18. Filing practice, surface	
filing, marking of straight	types and their uses, method
and parallel lines with odd	of using hacksaws.
leg calipers and steel rule.	Files- specifications,
(5 hrs.)	description, materials, grades,
19. Marking practice with	cuts, file elements, uses.
dividers, odd leg calipers	Types of files, care and
and steel rule (circles,	maintenance of files.
ARCs, parallel lines).	Measuring standards (English,
(5 hrs.)	Metric Units), angular
	measurements. (07 hrs.)
20. Marking off straight lines	Marking off and layout tools,



<ul> <li>and ARCs using scribing block and dividers. (5 hrs.)</li> <li>21. Chipping flat surfaces along a marked line. (10 hrs.)</li> <li>22. Marking, filing, filing square and check using tri square. (10 hrs.)</li> </ul>	dividers, scribing block, - description, classification, material, care & maintenance. Try square, ordinary depth gauge, protractor- description, uses and cares. Uses, care & maintenance of cold chisels- materials, types, cutting angles. (07 hrs.)
23. Marking according to simple blueprints for locating, position of holes, scribing lines on chalked surfaces with marking tools. (10 hrs.)	Marking media, marking blue, Prussian blue, red lead, chalk and their special application, description. Use, care and maintenance of scribing block.
<ul> <li>24. Finding centre of round bar with the help of 'V' block and marking block. (3 hrs.)</li> <li>25. Joining straight line to an ARC. (12 hrs.)</li> </ul>	Surface plate and auxiliary marking equipment, 'V' block, angle plates, parallel block, description, types, uses, accuracy, care and maintenance. (07 hrs.)
<ul> <li>26. Chipping, Chamfering, Chip slots &amp; oils grooves (Straight). (08 hrs.)</li> <li>27. Filing flat, square, and parallel to an accuracy of 0.5mm. (07 hrs.)</li> <li>28. Chip curve along a linemark out, keyways at various angles &amp; cut</li> </ul>	Mechanicalproperties:ductility,malleabilityhardness,brittleness,toughness,tenacity,
keyways. (1 hrs.) 29. Sharpening of Chisel. (2 hrs.) 30. File thin metal to an accuracy of 0.5 mm. (07 hrs.) 31. Saw along a straight line,	elasticity. (07 hrs.) Power Saw, band saw,



		curved line, on different	Circular saw machines used
		sections of metal. (15 hrs.)	for metal cutting. (07 hrs.)
			for metal cutting. (07 ms.)
		32. Straight saw on thick	
		section, M.S. angle and	
		pipes. (10 hrs.)	
		33. File steps and finish with	Micrometer- outside and
		smooth file to accuracy of $\pm$	inside – principle,
		0.25 mm. (15 hrs.)	constructional features, parts
		34. File and saw on M.S.	graduation, reading, use and
		Square and pipe. (10 hrs.)	care. Micrometer depth
			gauge, parts, graduation,
			reading, use and care. Digital
			micrometer. (07 hrs.)
		35. File radius along a marked	Vernier calipers, principle,
		line (Convex & concave) &	construction, graduations,
		match. (15 hrs.)	reading, use and care. Vernier
		36. Chip sheet metal	bevel protractor,
		(shearing). (5 hrs.)	construction, graduations,
		37. Chip step and file. (5 hrs.)	reading, use and care, dial
			Vernier Caliper, Digital
			Vernier caliper.
			Vernier height gauge:
			material construction, parts,
			graduations (English &
			Metric) uses, care and
			maintenance. (07 hrs.)
		38. Mark off and drill through	Drilling processes: common
		holes. (5 hrs.)	type (bench type, pillar type,
		39. Drill and tap on M.S. flat.	radial type), gang and
		(10 hrs.)	multiple drilling machine.
		40. Punch letter and number	Determination of tap drill
		(letter punch and number	size. (07 hrs.)
		punch) (5 hrs.)	51201 (07 11131)
		41. Practice use of different	
		punches. (5 hrs.)	
Professional	Manufacture simple	· · ·	Safaty procautions to be
		42. Marking of straight lines,	Safety precautions to be
Skill 125 Hrs;	sheet metal items as	circles, profiles and various	observed in a sheet metal
	per drawing and join	geometrical shapes and	workshop, sheet and sizes,



Professional	them by soldering,	cutting the sheets with	Commercial sizes and various
	,		
Knowledge	brazing and riveting.	snips. (15 hrs.)	types of metal sheets, coated
35 Hrs		43. Marking out of simple	sheets and their uses as per
		development (5 hrs.)	BIS specifications. Shearing
		44. Marking out for flaps for	machine- description, parts
		soldering and sweating. (5	and uses. (07 hrs.)
		hrs.)	
		45. Make various joints: wiring,	Marking and measuring tools,
		hemming, soldering and	wing compass, tin man's
		brazing, form locked,	square tools, snips, types and
		grooved and knocked up	uses. Tin man's hammers and
		single hem straight and	mallets type-sheet metal
		curved edges form double	tools, types, specifications,
		hemming. (30 hrs.)	uses. Trammel- description,
		46. Punch holes-using hollow	parts, uses. Hand grooves-
		and solid punches. (5 hrs.)	specifications and uses.
		47. Do lap and butt joints. (15	Sheet and wire gauge. (14
		hrs.)	hrs.)
		48. Bend sheet metal into	Stakes-bench types, parts,
		various curvature form,	their uses. Various types of
		wired edges- straight and	metal joints, their selection
		curves. Fold sheet metal at	and application, tolerance for
		angle using stakes. (8 hrs.)	various joints, their selection
		49. Make simple Square	& application. Wired edges.
		container with wired edge	(07 hrs.)
		and fix handle. (17 hrs.)	
		50. Make square tray with	Solder and soldering:
		square soldered corner. (15	Introduction-types of solder
		hrs.)	and flux. Composition of
		51. Practice in soft soldering	various types of solders and
		and silver soldering. (10	their heating media of
		hrs.)	soldering iron. Method of
			soldering, selection and
			application-joints. Hard
			solder- Introduction, types
			and method of brazing.
			-
Drofossional	loin metal	E2 Make riveted lan and but	(07 hrs.)
Professional	Join metal	52. Make riveted lap and butt	Various rivets shape and form



Skill 25 Hrs;	components by	joint. (9 hrs.)	of heads, importance of
5Kiii 25 1113,	riveting observing	53. Make funnel as per	correct head size.
Professional	standard procedure.	development and solder	Rivets-Tin man's rivets types,
Knowledge		joints. (10 hrs.)	sizes, and selection for
07 Hrs		54. Drill for riveting. (1 hr.)	various works.
		55. Riveting with as many	Riveting tools, dolly snaps
		types of rivet as available,	description and uses. Method
		use of counter sunk head	of riveting,
		rivets. (5 hrs.)	The spacing of rivets. Flash
			riveting, use of correct tools,
			compare hot and cold
			riveting. (07 hrs.)
Professional	Join metal	56. Welding - Striking and	Safety-importance of safety
Skill 25 Hrs;	component by arc	maintaining ARC, laying	and general precautions
	welding observing	Straight-line bead. (25 hrs.)	observed in a welding shop.
Professional	standard procedure.		Precautions in electric and gas
Knowledge			welding. (Before, during,
07 Hrs			after) Introduction to safety
			equipment and their uses.
			Machines and accessories,
			welding transformer, welding
			generators. (07 hrs.)
Professional	Cut and join metal	57. Making square, butt joint	Welding hand tools:
Skill 75 Hrs;	component by gas	and 'T' fillet joint-gas and	Hammers, welding
Professional	(oxy-acetylene)	ARC. (15 hrs.)	description, types and uses,
Knowledge		58. Do setting up of flames,	description, principle, method
21 Hrs		fusion runs with and	of operating, carbon dioxide
211113		without filler rod, and gas.	welding. H.P. welding
		(10 hrs.)	equipment: description,
			principle, method of
			operating L.P. welding
			equipment: description,
			principle, method of
			operating. Types of Joints-
			Butt and fillet as per BIS SP:
			46-1988 specifications. Gases
			and gas cylinder description,
			kinds, main difference and



			uses. (07 hrs.)
		59. Make butt weld and	Setting up parameters for
		corner, fillet in ARC welding	ARC welding machines-
		(25 hrs.)	selection of Welding
		(,	electrodes. Care to be taken
			in keeping electrode.
			(07 hrs.)
		60. Gas cutting of MS plates	Oxygen acetylene cutting-
		(25 hrs.)	machine description, parts,
			uses, method of handling,
			cutting torch-description,
			parts, function and uses.
			(07 hrs.)
Professional	Produce components	61. Mark off and drill through	Drill- material, types, (Taper
Skill 150 Hrs;	by different	holes. (5 hrs.)	shank, straight shank) parts
Desferies	operations and check	62. Drill on M.S. flat. (1 hrs.)	and sizes. Drill angle-cutting
Professional	accuracy using	63. File radius and profile to	angle for different materials,
Knowledge	appropriate	suit gauge. (13 hrs.)	cutting speed feed. R.P.M. for
42 Hrs	measuring	64. Sharpening of Drills. (1 hrs.)	different materials. Drill
	instruments.[Different	65. Practice use of angular	holding devices- material,
	Operations - Drilling,	measuring instrument. (5	construction and their uses.
	Reaming, Taping,	hrs.)	(07 hrs.)
	Dieing; Appropriate	66. Counter sink, counter bore	Counter sink, counter bore
	Measuring Instrument	and ream split fit (three	and spot facing-tools and
	– Vernier, Screw	piece fitting). (5 hrs.)	nomenclature, Reamer-
	Gauge, Micrometer]	67. Drill through hole and blind	material, types (Hand and
		holes. (2 hrs.)	machine reamer), kinds, parts
		68. Form internal threads with	and their uses, determining
		taps to standard size	hole size (or reaming),
		(through holes and blind	Reaming procedure.
		holes). (3 hrs.)	Screw threads: terminology,
		69. Prepare studs and bolt. (15	parts, types and their uses.
		hrs.)	Screw pitch gauge: material parts and uses. Taps British
			standard (B.S.W., B.S.F., B.A.
			& B.S.P.) and metric /BIS
			(coarse and fine) material,
			parts (shank body, flute,





Different Fit Cliding		fite and limite Duitich
[Different Fit – Sliding,		fits and limits. British
Angular, Step fit, 'T'		standard system, BIS system.
fit, Square fit and		(07 hrs.)
Profile fit; Required	80. File fit- combined, open	Method of expressing
tolerance: ±0.04 mm,	angular and sliding sides.	tolerance as per BIS Fits:
angular tolerance: 30	(10 hrs.)	Definition, types, description
min.]	81. File internal angles	of each with sketch. Vernier
	30minutes accuracy open,	height gauge: material
	angular fit. (15 hrs.)	construction, parts,
		graduations (English &
		Metric) uses, care and
		maintenance. (07 hrs.)
	82. Make sliding fit with angles	Pig Iron: types of pig Iron,
	other than 90° (25 hrs.)	properties and uses.
		Cast Iron: types, properties
		and usesWrought iron:-
		properties and uses.
		Steel: plain carbon steels,
		types, properties and uses.
		Non-ferrous metals (copper,
		aluminium, tin, lead, zinc)
		properties and uses. (07 hrs.)
	83. Scrap on flat surfaces,	Simple scraper- flat, half
	curved surfaces and	round, triangular and hook
	parallel surfaces and test.	scraper and their uses. Blue
	(5 hrs.)	matching of scraped surfaces
	84. Make & assemble, sliding	(flat and curved bearing
	flats, plain surfaces. (15	
	hrs.)	surfaces: ordinary surfaces
	85. Check for blue math of	•
	bearing surfaces- both flat	hrs.)
	and curved surfaces by wit	11.5.7
	worth method. (5 hrs.)	
	86. File and fit combined radius	Vernier micrometer, material,
	and angular surface	parts, graduation, use, care
	(accuracy $\pm$ 0.5 mm),	and maintenance. Calibration
	angular and radius fit. (18	of measuring instruments.
	hrs.)	Introduction to mechanical



		<ul> <li>87. Locate accurate holes &amp; make accurate hole for stud fit. (2 hrs.)</li> <li>88. Fasten mechanical components / subassemblies together using screws, bolts and collars using hand tools. (5 hrs.)</li> <li>89. Make sliding fits assembly</li> </ul>	fasteners and its uses. Screw thread micrometer: Construction, graduation and use. (07 hrs.) Dial test indicator,
		with parallel and angular mating surface. (± 0.04 mm)(25 hrs.)	construction, parts, material, graduation, Method of use, care and maintenance. Digital dial indicator. Comparators- measurement of quality in the cylinder bores. (07 hrs.)
Professional	Produce components	90. Lathe operations-	Safely precautions to be
Skill 125 Hrs;	involving different	91. True job on four jaw chuck	observed while working on a
Professional Knowledge 35 Hrs	operations on lathe observing standard procedure and check for accuracy. [Different Operations – facing, plain turning, step turning, parting, chamfering, shoulder turn, grooving, knurling, boring, taper turning,	using knife tool. (5 hrs.) 92. Face both the ends for holding between centres. (9 hrs.) 93. Using roughing tool parallel turn ± 0.1 mm. (10 hrs.) 94. Measure the diameter using outside caliper and steel rule. (1 hr.)	lathe, Lathe specifications, and constructional features. Lathe main parts descriptions- bed, head stock, carriage, tail stock, feeding and thread cutting mechanisms. Holding of job between centres, works with catch plate, dog, simple description of a facing and roughing tool and their applications. (07 hrs.)
	threading (external 'V' only)]	<ul> <li>95. Holding job in three jaw chuck. (2 hrs.)</li> <li>96. Perform the facing, plain turn, step turn, parting, deburr, chamfer-corner, roundthe ends, and use form tools. (11 hrs.)</li> <li>97. Shoulder turn: square, filleted, beveled undercut shoulder, turning-filleted</li> </ul>	Lathe cutting tools- Nomenclature of single point & multipoint cutting tools, Tool selection based on different requirements and necessity of correct grinding, solid and tipped, throw away type tools, cutting speed and feed and comparison for H.S.S., carbide tools. Use of



under cut, square beveled.	coolants and lubricants.
(11 hrs.)	(07 hrs.)
. ,	(07 ms.)
98. Sharpening of -Single point	
Tools. (1 hr.)	
99. Cut grooves- square,	Chucks and chucking the
round, 'V' groove. (10	independent four-jaw chuck.
hrs.)	Reversible features of jaws,
100. Make a mandrel-turn	the back plate, Method of
diameter to sizes. (5 hrs.)	clearing the thread of the
101. Knurl the job. (1 hr.)	chuck-mounting and
102. Bore holes –spot face,	dismounting, chucks,
pilot drill, enlarge hole	chucking true, face plate,
using boring tools. (9	drilling - method of holding
hrs.)	drills in the tail stock, Boring
	tools and enlargement of
	holes. (07 hrs.)
103. Make a bush step bore-	General turning operations-
cut recess, turn hole	parallel or straight, turning.
diameter to sizes. (5 hrs.)	Stepped turning, grooving,
104. Turn taper (internal and	and shape of tools for the
external). (10 hrs.)	above operations.
105. Turn taper pins. (5 hrs.)	Appropriate method of
106. Turn standard tapers to	holding the tool on tool post
suit with gauge. (5 hrs.)	or tool rest, Knurling: - tools
	description, grade, uses,
	speed and feed, coolant for
	knurling, speed, feed
	calculation.
	Taper – definition, use and
	method of expressing tapers.
	Standard tapers-taper,
	· · · ·
	calculations Morse taper. (07
107 Departies three diverses	hrs.)
107. Practice threading using	Screw thread definition – uses
taps, dies on lathe by	and application. Square,
hand. (2 hrs.)	worm, buttress, acme (
108. Make external 'V' thread.	nonstandard-screw threads),
(8 hrs.)	Principle of cutting screw



		109. Prepare a nut and match with the bolt. (15 hrs.)	principle of chasing the screw thread – use of centre gauge, setting tool for cutting internal and external threads, use of screw pitch gauge for checking the screw thread.	
Professional Skill 75 Hrs; Professional Knowledge 21 Hrs	Plan & perform simple repair, overhauling of different machines and check for functionality. [Different Machines – Drill Machine, Power Saw, Bench Grinder and Lathe]	<ul> <li>110. Simple repair work: Simple assembly of machine parts from blueprints. (15 hrs.)</li> <li>111. Rectify possible assembly faults during assembly. (19 hrs.)</li> <li>112. Perform the routine maintenance with check list (10 hrs.)</li> <li>113. Monitor machine as per routine checklist (3 hrs.)</li> <li>114. Read pressure gauge, temperature gauge, oil level (1 hr.)</li> <li>115. Set pressure in pneumatic system (2 hrs.)</li> </ul>	<ul> <li>-Total productive maintenance</li> <li>-Autonomous maintenance</li> <li>-Routine maintenance</li> <li>-Maintenance schedule</li> <li>-Retrieval of data from machine manuals Preventive maintenance-objective and function of Preventive maintenance, section inspection. Visual and detailed, lubrication survey, system of symbol and colour coding. Revision, simple estimation of materials, use of handbooks and reference table. Possible causes for assembly failures and</li> </ul>	
	12	116. Assemble simple fitting using dowel pins and tap screw assembly using torque wrench. (25 hrs.)	as aligning, bending, fixing,	
In-plant training / Project work				



SYLLABUS FOR FITTER TRADE						
SECOND YEAR						
Duration	Reference Learning Outcome		Professional Skills (Trade Practical) with Indicative hrs.	Professional Knowledge (Trade Theory)		
Professional Skill 300 Hrs; Professional Knowledge 108 Hrs	Make & assemble components of different mating surfaces as per required tolerance by different surface finishing operations using different fastening components, tools and check functionality. [Different Mating Surfaces – Dovetail fitting, Radius fitting, Combined fitting; Different surface finishing operations – Scraping, Lapping and Honing; Different fastening components – Dowel pins, screws, bolts, keys and cotters; Different fastening tools-hand operated & power tools, Required tolerance - ±0.02mm, angular tolerance ± 10 min.]	<ul> <li>118.</li> <li>119.</li> <li>120.</li> <li>121.</li> <li>122.</li> <li>123.</li> <li>124.</li> </ul>	Make 'H' fitting. (17 hrs.) Power tools: Practice operation of power tool for fastening. (5 hrs.) Tightening of bolt/ screw with specified torque. (2 hrs.) Selection of right tool as for Tightening or loosening of screw/bolt as per accessibility. (1 hr.) Assembly sliding for using keys, dowel pin and screw, ± 0.02 mm accuracy on plain surface and testing of sliding fitting job. (13 hrs.) File & fit angular mating surface within an accuracy of ± 0.02 mm & 10 minutes angular fitting. (12 hrs.) Drill through and blind holes at an angle using swivel table of drilling machine. (10 hrs.) Precision drilling, reaming and tapping and Test- Job. (15 hrs.) Make Dovetailed fitting and radius fitting. (25	Screws: material, designation, specifications, Property classes (e.g. 9.8 on screw head), Tools for tightening/ loosening of screw or bolts, Torque wrench, screw joint calculation uses. Power tools: its constructional features, uses & maintenance. (09 hrs.) Locking device: Nuts- types (lock nut castle nut, slotted nuts, swam nut, grooved nut) Description and use. Various types of keys, allowable clearances & tapers, types, uses of key pullers. (09 hrs.) Special files: types (pillar, Dread naught, Barrow, warding) description & their uses. (09 hrs.)		



hrs.)	Limit gauge: Ring gauge, snap
	gauge, plug gauge,
	description and uses.
	Description and uses of
	gauge- types (feeler, screw,
	pitch, radius, wire gauge). (09
	hrs.)
126. File and fit, combined fit	Slip gauge: Necessity of using,
with straight, angular	classification & accuracy, set
surface with $\pm$ 0.02 mm	of blocks (English and Metric).
accuracy and check	Details of slip gauge. Metric
adherence to	sets 46: 103: 112. Wringing
specification and quality	and building up of slip gauge
standards using	and care and maintenance.
equipment like Vernier-	(09 hrs.)
calipers, micrometres	(00 110.)
etc.(25 hrs.)	
127. Drilling and reaming,	Application of slip gauges for
small dia. holes to	measuring, Sine Bar-Principle,
accuracy & correct	application & specification.
location for fitting. (4	Procedure to check
hrs.)	adherence to specification
128. Perform drilling using 'V'	and quality standards. (09
block and a clamp. (1	hrs.)
hrs.)	1113.7
129. Make male and female	
fitting parts, drill and	
ream holes not less than	
12.7 mm. (20 hrs.)	
130. Make Sliding Diamond	Lapping: Application of
fitting. (20 hrs.)	lapping, material for lapping
131. Lap flat surfaces using	tools, lapping abrasives,
lapping plate. (5 hrs.)	charging of lapping tool.
iapping place. (2 in s.)	Surface finish importance,
	equipment for testing-terms
	relation to surface finish.
	Equipment for tasting surfaces quality – dimensional
	surfaces quality – unitensional



				tolerances of surface finish.
				(09 hrs.)
		132.	Prepare Stepped keyed	Honing: Application of
			fitting and test job. (20	honing, material for honing,
			hrs.)	tools shapes, grades, honing
		133.	Lapping holes and	abrasives. Frosting- its aim
			cylindrical surfaces. (5	and the methods of
			hrs.)	performance. (09 hrs.)
		134.	Dovetail and Dowel pin	Metallurgical and metal
			assembly. (20 hrs.)	working processes such as
		135.	Scrape cylindrical bore. (5	Heat treatment, various heat
			hrs.)	treatment methods -
				normalizing, annealing,
				hardening and tempering,
				purpose of each method,
				tempering colour chart.
				(09 hrs.)
		136.	Scrapping cylindrical bore	Annealing and normalizing,
			and to make a fit-(15 hrs.)	Case hardening and
		137.	Scrapping cylindrical	carburising and its methods,
			taper bore and check	process of carburising (solid,
			taper angle with sine bar.	liquid and gas). (09 hrs.)
			(10 hrs.)	
		138.	Make a cotter jib	Tapers on keys and cotters
			assembly. (25 hrs.)	permissible by various
				standards. (09 hrs.)
		139.	Hand reams and fit taper	The various coatings used to
			pin. (15 hrs.)	protect metals, protection
		140.	Drilling and reaming	coat by heat and electrical
			holes in correct location,	deposit treatments.
			fitting dowel pins, stud,	Treatments to provide a
			and bolts. (10 hrs.)	pleasing finish such as
				chromium silver plating,
				nickel plating and galvanizing. (09hrs.)
Professional	Make different gauges	1/1	Making a snap gauge for	Gauges and types of gauge
Skill 125 Hrs;	by using standard	141.	checking a dia. of 10 ±	commonly used in gauging
JKIII 123 1113,	tools & equipment		0.02 mm. (25 hrs.)	finished product-Method of
	tools & equipment		0.02 mm. (20 m3.)	mistica product-method of



Professional	and checks for		selective assembly 'Go'
Knowledge	specified accuracy.		system of gauges, hole plug
45 Hrs	[Different Gauges –		basis of standardization. (09
	Snap gauge, Gap		hrs.)
	gauge; Specified	142. Scrape external angular	Bearing-Introduction,
	Accuracy - ±0.02mm]	mating surface and check	classification (Journal and
		angle with sine bar. (15	Thrust), Description of each,
		hrs.)	ball bearing: Single row,
		143. Scrape on internal	double row, description of
		surface and check. (10	each, and advantages of
		hrs.)	double row. (09 hrs.)
		144. Practice in dovetail fitting	Roller and needle bearings:
		assembly and dowel pins	Types of roller bearing.
		and cap screws assembly.	Description & use of each.
		(20 hrs.)	Method of fitting ball and
		145. Industrial visit. (5 hrs.)	roller bearings
			(09 hrs.)
		146. Preparation of gap	Bearing metals – types,
		gauges. (15 hrs.)	composition and uses.
		147. Perform lapping of	Synthetic materials for
		gauges (hand lapping	bearing: The plastic laminate
		only) (10 hrs.)	materials, their properties
			and uses in bearings such as
			phenolic, Teflon polyamide
			(nylon). (09hrs.)
		148. Preparation of drill	The importance of keeping
		gauges. (10 hrs.)	the work free from rust and
		149. File and fit straight and	corrosion. (09 hrs.)
		angular surfaces	
		internally. (13 hrs.)	
		150. Identify different ferrous	
		metals by spark test (2	
		hrs.)	
Professional	Apply a range of skills	151. Flaring of pipes and pipe	Pipes and pipe fitting-
Skill 75 Hrs.;	to execute pipe joints,	joints. (3 hrs.)	commonly used pipes. Pipe
	dismantle and	152. Cutting & Threading of	schedule and standard sizes.
Professional	assemble valves &	pipe length. (3 hrs.)	Pipe bending methods. Use of
Knowledge	fittings with pipes and	153. Fitting of pipes as per	-



27 Hrs	test for		sketch observing	Std. Pipe threads Die and Tap,
27 1110	leakages.[Range of		conditions used for pipe	•
	skills – Cutting,		work. (12 hrs.)	
	Threading, Flaring,	154.	Bending of pipes- cold	
	Bending and Joining]		and hot. (7 hrs.)	
		155	Dismantling & assembling	Use of tools such as pipe
		155.	– globe valves, sluice	
			<b>U</b>	dies, and tap, pipe bending
			valves, stop cocks, seat	
			valve. (25 hrs.)	
		156		Standard pipefitting-
		150.	Fit & assemble pipes, valves and test for	
			leakage & functionality of	U
			valves. (22 hrs.)	
		157	Visual inspection for	
		157.	visual defects e.g. dents,	household taps and pipe
			surface finish. (1 hr.)	work.
		158	Measuring, checking and	Inspection & Quality control
		150.	recording in control	-Basic SPC
			chart. (2 hrs.)	-Visual Inspection. (09 hrs.)
Professional	Make drill jig &	159	Make a simple drilling jig.	Drilling jig-constructional
Skill 25 Hrs.;	produce components	155.	(20 hrs.)	features, types and uses.
3Km 23 m 3.,	on drill machine by	160	Use simple jigs and	Fixtures-Constructional
Professional	using jigs and check	100.	fixtures for drilling. (5	features, types and uses. (09
Knowledge	for correctness.		hrs.)	hrs.)
09 Hrs.			11.5.)	1113.7
Professional	Plan dismantle renair	161	Marking out for angular	Aluminum and its alloys.
Skill 200 Hrs.	and assemble	101.	outlines, filing and fitting	-
5km 200 m 3.	different damaged		the inserts into gaps. (8	· · ·
Professional	mechanical		hrs.)	strength as compared with
Knowledge	components used for	162	Exercises on finished	steel. Non-ferrous metals
72 Hrs.	power transmission &	102.	material such as	such as brass, phosphor
	check functionality.		aluminium/ brass/ copper	bronze, gunmetal, copper,
	[Different Damage		/ stainless steel, marking	aluminum etc. Their
	Mechanical		out, cutting to size,	composition and purposes,
	Components – Pulley,		drilling, tapping etc.	where and why used,
	Gear, Keys, Jibs and		without damage to	advantages for specific
	Shafts.]		surface of finished	purposes, surface wearing
	5110]13.]		surface of ministied	purposes, surface wearing



	articles (12 brs)	properties of bronze and
	articles. (12 hrs.)	properties of bronze and
		brass. (07 hrs.)
163.	Making an adjustable	Power transmission elements.
	spanner: - Marking out as	The object of belts, their sizes
	per Blueprint, drilling,	and specifications, materials
	cutting, straight and	of which the belts are made,
	curve filing, threading,	selection of the type of belts
	cutting slot and cutting	with the consideration of
	internal threads with	weather, load and tension
	taps. (20 hrs.)	methods of joining leather
		belts. (07 hrs.)
164.	Dismantling and	Vee belts and their
	mounting of pulleys. (15	advantages and
	hrs.)	disadvantages, use of
165.	Making & replacing	commercial belts, dressing
	damaged keys. (15 hrs.)	and resin creep and slipping,
166.	Dismounting, repairing	calculation.
	damaged gears and	Power transmissions-
	mounting and check for	coupling types-flange
	workability. (20 hrs.)	coupling,-Hooks coupling-
167.	Repair & replacement of	universal coupling and their
	belts and check for	different uses.
	workability. (15 hrs.)	Pulleys-types-solid, split and
		'V' belt pulleys, standard
		calculation for determining
		size crowning of faces-loose
		and fast pulleys-jockey pulley.
		Types of drives-open and
		cross belt drives. The
		geometrical explanation of
		the belt drivers at an angle.
		(24 hrs.)
168	Making of	Power transmission –by
200.	template/gauge to check	gears, most common form
	involute profile. (22 hrs.)	spur gear, set names of some
		essential parts of the set-The
		pitch circles, Diametral pitch,
		velocity ratio of a gear set.
		velocity facio of a geal set.



				(08 hrs.)
		169.	Repair of broken gear	Helical gear, herring bone
		200	tooth by stud and repair	gears, bevel gearing, spiral
			broker gear teeth by	bevel gearing, hypoid gearing,
			dovetail. (23 hrs.)	pinion and rack, worm
				gearing, velocity ratio of
				worm gearing. Repair of gear
				teeth by building up and
				dovetail method. (08 hrs.)
		170	Make hexagonal slide	Method or fixing geared
		170.	fitting. (20 hrs.)	wheels for various purpose
		171	Prepare different types of	drives. General cause of the
		171.	documentation as per	wear and tear of the toothed
			industrial need by	wheels and their remedies,
			different methods of	method of fitting spiral gears,
			recording information. (5	helical gears, bevel gears,
			hrs.)	worm and worm wheels in
			- /	relation to required drive.
				Care and maintenance of
				gears. (09 hrs.)
		172.	Marking out on the round	Fluid power, Pneumatics,
			sections for geometrical	Hydraulics, and their
			shaped fittings such as	comparison, Overview of a
			spline with 3 or 4 teeth.	pneumatic system, Boyle's
			Finishing and fitting to	law.
			size, checking up the	Overview of an industrial
			faces for universality. (25	hydraulic system,
			hrs.)	Applications, Pascal's Law. (09
				hrs.)
Professional	Identify, dismantle,	173.	Identify pneumatic	Compressed air generation
Skill 25 Hrs;	replace and assemble		components –	and conditioning, Air
Professional	different pneumatics		Compressor, pressure	compressors, Pressure
Knowledge	and hydraulics		gauge, Filter-Regulator-	regulation, Dryers, Air
09 Hrs	components.		Lubricator (FRL) unit, and	receiver, Conductors and
09 1115	[Different components		Different types of valves	fittings, FRL unit, Applications
	– Compressor,		and actuators. (2 hrs.)	of pneumatics, Hazards &
	Pressure Gauge, Filter	174.	Dismantle, replace, and	safety precautions in
	Regulator Lubricator,		assemble FRL unit. (5	pneumatic systems.



	Valves and Actuators.]		hrs.)	
		176. 177.	Demonstrate knowledge of safety procedures in pneumatic systems and personal Protective Equipment (PPE). (2 hrs.) Identify the parts of a pneumatic cylinder. (1 hrs.) Dismantle and assemble a pneumatic cylinder. (8 hrs.) Construct a circuit for the direction & speed control of a small-bore single- acting (s/a) pneumatic cylinder. (7 hrs.)	Pneumatic actuators:- Types, Basic operation, Force, Stroke length, Single-acting and double-acting cylinders. (09 hrs.)
Professional Skill 25 Hrs; Professional Knowledge 09 Hrs	Construct circuit of pneumatics and hydraulics observing standard operating procedure& safety aspect.	180.	Construct a control circuit for the control of a d/a pneumatic cylinder with momentary input signals. (5 hrs.) Construct a circuit for the direct & indirect control of a d/a pneumatic cylinder with a single & double solenoid valve. (10 hrs.) Dismantling & assembling of solenoid valves. (10 hrs.)	Pneumaticvalves:-Classification,Symbolsofpneumatic components,3/2-way valves(NO & NC types)(manually-actuated&pneumatically-actuated&5/2-way valves,&Check valves,Flow controlvalves,One-way flow controlvalvePneumatic valves:RollervalveShuttle valve,Two-pressure valveElectro-pneumatics:Introduction,3/2-way singlesolenoid valve,5/2-waydoublesolenoidvalve,S/2-waydoublesolenoidvalve,ControlControlcomponents-Pushbuttons (NO & NC type)andElectromagneticrelay



				U	nit, Logic controls. (09 hrs.)
Professional	Identify, dismantle,	182.	Demonstrate knowledge	-	Symbols of hydraulic
Skill 25 Hrs;	replace and assemble	102.	of safety procedures in		components, Hydraulic oils
23 1113,	different pneumatics		hydraulic systems (Demo		-function, properties, and
Professional	and hydraulics		by video) (5 hrs.)		types, Contamination in
Knowledge	components.	183	Identify hydraulic		oils and its control
09 Hrs	[Different components]	105.			
			components – Pumps,	-	Hydraulic Filters – types,
	– Compressor,		Reservoir, Fluids,		constructional features,
	Pressure Gauge, Filter		Pressure relief valve		and their typical
	Regulator Lubricator,		(PRV), Filters, different		installation locations,
	Valves and Actuators.]		types of valves, actuators,		cavitation, Hazards &
			and hoses (5 hrs.)		safety precautions in
		184.	Inspect fluid levels,		hydraulic systems
			service reservoirs,	-	Hydraulic reservoir &
			clean/replace filters (5		accessories, Pumps,
			hrs.)		Classification – Gear/vane/
		185.	Inspect hose for twist,		piston types, Pressure
			kinks, and minimum bend		relief valves – Direct acting
			radius, Inspect hose/tube		and pilot-operated types
			fittings (5 hrs.)	-	Pipes, tubing, Hoses and
		186.	Identify internal parts of		fittings – Constructional
			hydraulic cylinders,		details, Minimum bend
			pumps/ motors (5 hrs.)		radius, routing tips for
					hoses. (09 hrs.)
Professional	Construct circuit of	187.	Construct a circuit for the	-	Hydraulic cylinders – Types
Skill 25 Hrs.;	pneumatics and		control of a s/a hydraulic	-	Hydraulic motors – Types
	hydraulics observing		cylinder using a 3/2-way	-	Hydraulic valves:
Professional	standard operating		valve (Weight loaded d/a		Classification, Directional
Knowledge	procedure& safety		cylinder may be used as a		Control valves – 2/2- and
09 Hrs	aspect.		s/a cylinder), 4/2- & 4/3-		3/2-way valves
			way valves. (10 hrs.)	-	Hydraulic valves: 4/2- and
		188.	, , Maintenance,		4/3-way valves, Centre
			troubleshooting, and		positions of 4/3-way valves
			safety aspects of	_	Hydraulic valves: Check
			pneumatic and hydraulic		valves and Pilot-operated
			systems (The practical for		check valves, Load holding
			this component may		function
			demonstrated by video).	_	Flow control valves: Types,
			achionstrated by videoj.	l –	now control valves. Types,



		(15 hrs.)	Speed control methods –
		(20	meter-in and meter-out
			- Preventive maintenance &
			troubleshooting of
			pneumatic & hydraulic
			systems, System
			malfunctions due to
			contamination, leakage,
			friction, improper
			mountings, cavitation, and
			proper sampling of
			hydraulic oils. (09 hrs.)
Professional	Dian & porform basic	190 Dismonthe overhauling &	
	Plan & perform basic	189. Dismantle, overhauling & assemble cross-slide &	•
	day to day preventive		English terms used in industry
Professional	maintenance,	hand-slide of lathe	-(in simple definition
Knowledge	repairing and check	carriage. (25 hrs.)	only)Technical forms, process
36 Hrs	functionality. [Simple		charts, activity logs, in
	Machines – Drill		required formats of industry,
	Machine, Power Saw		estimation, cycle time,
	and Lathe]		productivity reports, job
			cards. (09 hrs.)
		190. Simple repair of	5 ,
		machinery: - Making of	
		packing gaskets. (5 hrs.)	splash lubrication. Cutting
		191. Check washers, gasket,	
		clutch, keys, jibs, cotter,	
		Circlip, etc. and	paraffin, soda water, common
		replace/repair if needed.	-
		(5 hrs.)	commercial names, selection
		192. Use hollow punches,	
		extractor, drifts, various	Clutch: Type, positive clutch
		types of hammers and	(straight tooth type, angular
		spanners, etc. for repair	
		work. (20 hrs.)	Washers-Types and
		193. Dismantling, assembling	calculation of washer sizes.
		199: Dismanting, assembling	calculation of washer sizes.
		of different types of	
		•	The making of joints and



		40.5		
		194.	Perform routine check of	clutches for power
			machine and do replenish	transmission. Their types and
			as per requirement. (20	brief description. (27 hrs.)
			hrs.)	
Professional	Plan, erect simple	195.	Inspection of Machine	Lubrication and lubricants-
Skill 75 Hrs;	machine and test		tools such as alignment,	purpose of using different
	machine tool		levelling. (10 hrs.)	types, description and uses of
Professional	accuracy. [Simple	196.	Accuracy testing of	each type. Method of
Knowledge	Machines – Drill		Machine tools such as	lubrication. A good lubricant,
27 Hrs	Machine, Power Saw		geometrical parameters.	viscosity of the lubricant,
	and Lathe]		(15 hrs.)	Main property of lubricant.
				How a film of oil is formed in
				journal Bearings. (09 hrs.)
		197.	Practicing, making	Foundation bolt: types (Lewis
			various knots, correct	cotter bolt) description of
			loading of slings, correct	each erection tools, pulley
			and safe removal of	block, crowbar, spirit level,
			parts. (5 hrs.)	Plumb bob, wire rope, manila
		198.	Erect simple machines.	rope, wooden block.
			(45 hrs.)	The use of lifting appliances,
				extractor presses and their
				use. Practical method of
				obtaining mechanical
				advantage. The slings and
				handling of heavy machinery,
				special precautions in the
				removal and replacement of
				heavy parts. (18 hrs.)
	In-	plant	training/ Project work	



## SYLLABUS FOR CORE SKILLS

- 1. Workshop Calculation & Science (Common for two year) (80Hrs. + 80 Hrs.)
- 2. Engineering Drawing (Common for Group-I (Mechanical Trade Group))(80Hrs. + 80 Hrs.)
- 3. Employability Skills (Common for all CTS trades) (160Hrs. + 80 Hrs.)

Learning outcomes, assessment criteria, syllabus and Tool List of Core Skills subjects which is common for a group of trades, provided separately inwww.bharatskills.gov.in.



	FITTER						
	LIST OF TOOLS AND EQUIPMENT (For batch of 20candidates)						
S no.	Name of the Tool & Equipments	Specification	Quantity				
	INEES TOOL KIT (For each additional unit tr	ainees tool kit Sl. 1-18 is requir	ed				
additio			[				
1.	Steel Rule with metric & British graduation	150 mm, Stainless steel	(20+1) Nos.				
2.	Try Square.	150 mm blade	(20+1) Nos.				
3.	Caliper inside spring type.	150 mm	(20+1) Nos.				
4.	Caliper hermaphrodite spring type	150 mm	(20+1) Nos.				
5.	Caliper outside spring type	150 mm	(20+1) Nos.				
6.	Divider spring type	150 mm	(20+1) Nos.				
7.	Scriber	150 mm	(20+1) Nos.				
8.	Centre Punch	10 mm and Length - 120 mm	(20+1) Nos.				
9.	Screw driver	150mm insulated flat type	(20+1) Nos.				
10.	Chisel cold flat	20 mm X 150 mm High carbon steel	(20+1) Nos.				
11.	Hammer ball peen with handle	450 grams (1 lb)	(20+1) Nos.				
12.	Hammer ball peen with handle.	220 grams (1/2 lb)	(20+1) Nos.				
13.	File flat - second cut	250 mm	(20+1) Nos.				
14.	File flat smooth	250 mm.	(20+1) Nos.				
15.	File half round second cut	150 mm.	(20+1) Nos.				
16.	Hacksaw frame fixed type	300 mm	(20+1) Nos.				
17.	Safety goggles.		(20+1) Nos.				
18.	Dot punch	100 mm	(20+1) Nos.				
	B. INSTRUMENTS AND GENERAL SHOP OUTFIT - For 2 (1+1) units no additional items are required						
INSTRU	JMENTS						
19.	Steel Rule Graduated both in Metric and English Unit	300 mm Stainless steel	4 nos.				
20.	Straight edge steel	300 mm or above	2 nos.				
21.	Spirit Level metal Type - 2	300 mm Basic Length Accuracy 0.1mm/Meter	1 no.				
22.	Stud Extractor EZY - out	Set of 8	2 sets				
23.	Combination Set	300 mm	2 nos.				



24.	Micrometer outside.	0 - 25 mm	2 nos.
25.	Micrometer outside.	25 - 50 mm	2 nos.
26.	Micrometer outside.	50 - 75 mm	2 nos.
27.	Micrometer inside with extension rods.	Accuracy 0.01 mm with extension rods up to 150 mm	1 no.
28.	Vernier caliper	150 mm	4 nos.
29.	Vernier height gauges	0 - 300 mm with least count = 0.02 mm	1 no.
30.	Vernier bevel protractor Blade with Acute Angle Attachment	300 mm	1 no.
31.	Screw pitch gauge Metric	0.25 to 6 mm	1 no.
32.	Wire gauge, metric standard.		1 no.
GENEF	RAL SHOP OUTFIT		
33.	Surface plate C.I/Granite with Stand and Cover	600 x 600 mm	1 no.
34.	Marking table (Mild steel)	900X900X900 mm	1 no.
35.	Universal scribing block.	220 mm	2 nos.
36.	V-Block pair with clamps	150 x 100 x 100 mm	2 nos.
37.	Angle plate	150 X 150 X 250 mm	2 nos.
38.	Punch letter set.	3 mm	1 no.
39.	Punch number set.	3 mm	1 no.
40.	Portable hand drill (Electric)	0 to 13 mm Capacity	1 no.
41.	Drill twist straight shank	3 mm to 12 mm by 0.5 mm H.S.S.	2 sets
42.	Drill twist Taper shank	8 mm to 20 mm by 0.5 mm H.S.S.	2 sets
43.	Taps and dies complete set in box.	Whitworth	1 no.
44.	Taps and dies complete set	5, 6, 8, 10 & 12mm set of 5	2 Sets
45.	File knife edge smooth	150 mm	4 nos.
46.	File feather edge smooth	150 mm	4 nos.
47.	File triangular smooth	200 mm	10 nos.
48.	File round second cut	200 mm	10 nos.
49.	File square second cut	250 mm	10 nos.
50.	Feeler gauge	Gauge Feeler / Thickness - 0.05 mm to 0.3 mm by 0.05 and 0.4 mm to 1 mm by 0.1 mm - 13 leaves	1 set
51.	File triangular second cut.	200 mm	10 nos.
52.	File flat second cut safe edge.	300 mm	10 nos.
53.	File flat bastard	200 mm	10 nos.
54.	File flat bastard.	300 mm	10 nos.



55.	File Swiss type needle	Set of 12, Length = 150 mm	2 sets
56.	File half round second cut.	250 mm	10 nos.
57.	File half round bastard.	250 mm	10 nos.
57.	File round bastard.	250 mm	10 nos.
59.	File hand second cut.	150 mm	10 nos.
	File card.	3"x5" size, brass or steel	10 1105.
60.		wire	10 nos.
61.	Oil Can	250 ml	2 nos.
62.	Pliers combination insulated	150 mm	2 nos.
63.	Wooden handle forged Soldering Iron copper bit.	230V, 250 W, 350 gm	2 nos.
64.	Blow Lamp	0.5 litre	2 nos.
65.	Spanner- Double Ended	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	1 set each
66.	Spanner adjustable	150 mm	2 nos.
67.	Interchangeable ratchet socket set	12 mm driver, sized10-32 mm set of 18 socket & attachments.	1 set
68.	Double Ended tubular Box spanner set with Tommy bar.	A/F 6-25 mm set of 10 Tommy Bar Dia. 6, 8, 10, 12, 14, 16	1 set
69.	Glass magnifying	75 mm	2 nos.
70.	Clamp toolmaker	5 cm and 7.5 cm set of 2.	2 nos.
71.	Clamp "C"	100 mm	2 nos.
72.	Clamp "C"	200 mm	2 nos.
73.	Hand Reamer set (Taper pin straight flute)	Nominal Dia. 6, 8, 10, 12, 16mm	1 set
74.	Machine Reamer parallel (Helical flute)	12 - 16mm set of 5.	1 no.
75.	Scraper flat	150 mm	10 nos.
76.	Scraper triangular	150 mm	10 nos.
77.	Scraper half round	150 mm	10 nos.
78.	Chisel cold crosscut& diamond point.	9 mm X 150 mm	10 each
79.	Chisel cold flat	9 mm X 100 mm	10 nos.
80.	Chisel cold round nose	9 mm X 100 mm	10 nos.
81.	Drill chuck with key	12 mm.	1 no.
	Pipe wrench	400 mm	1 no.
82.			
82. 83.	Pipe vice	100 mm	1 no.
		100 mm cover pipe size 1" or 3/4"	1 no. 1 Set
83.	Pipe vice		



87.	Machine vice - Swivel Base	125 mm	1 no.
88.	Sleeve drill Morse	No. 0 - 1, 1 - 2, 2 - 3, 3 - 4, 4 - 5	1 Set
89.	Vice bench	150 mm	20 nos.
90.	Bench working.	2400 x 1200 x 900 mm	4 nos.
91.	Almirah.	1800 x 900 x 450 mm	2 nos.
92.	Lockers with 8 drawers (standard size).	One locker for each trainee	3 nos.
93.	Metal rack	1820 x 1820 x 450 cm	1 no.
94.	Instructor Table		
95.	Instructor Chair		
96.	Black board with easel.		
97.	Fire extinguisher (For 4 Units)	CO2 type, 3 kg capacity	
98.	Fire buckets.		
99.	Machine vice.	100mm	2 nos.
100.	Wing compass.	254 mm or 300 mm	2 nos.
101.	Hand hammer with handle.	1000 gm	1 nos.
102.	Torque wrench (Standard/Ratchet type)	14 to 68 Nm	1 no.
103.	Power tools for fastening	Capacity 10-18mm	1 No.
104.	Different Profile gauges (Plate type) - For demonstration	Metric standard	4 nos.
105.	Knurling tool (Diamond, straight & Diagonal)		1 each
106.	Indexable boring bar with inserts	1" shank	4 nos.
107.	Machine maintenance manual for Lathe, Pedestal grinder, Drill machine, Power saw		1
108.	Temperature gauge	Range 0 - 150°C	1 each
109.	Dowel pin (straight)	Dia1" Length -4" (Mat: Stainless Steel)	1 each
110.	Standard Tap screws	M3, M4, M5, M6, M8, M10, M12, M14, M16	1 each
111.	Lapping plate	Dia6"	2 each
112.	Medium carbon Heat treated alloy steel Metric Studs and bolts along with nuts (for display) of standard length (May be manufactured in-house)	M6, M8, M10, M12, M14, M16 (Standard)	2 each
113.	Caps screws	M6, M8, M10, M12	2 each
114.	Drill gauges	Letter drill gauge (A to Z), Number drill gauge (1 to 60), Metric drill gauge (1.5mm to 12.5mm, 30 holes)	2 nos.



	Cast Iron Globe Valve (Flanged type)	150NB, Class# 150 Flange:	2 nos.
115.		ANSI125-B16.1	2 1105.
	C.I. Sluice / Gate valve (flanged type)	150NB, Class# 150 Flange:	2 nos.
116.		ANSI125-B16.1	2
117.	Stop cock	25NB (2-way, Threaded end)	2 nos.
118.	M.S. Pipe	150NB, Sch.40, ERW, IS:1239	as required
119.	G.I. Pipe	25mm, Sch.40, ERW	as required
	Slip-on Forged steel Flange	150NB, ANSI-B16.5,	· · ·
120.		Class#150	4 nos.
101	Bolt & Nut with washer (May be	M20x2.5x90Long (part	20 nos.
121.	manufactured in-house)	thread - Hex. Head)	
122.		Ratchet type Die head of	2 nos.
122.	Pipe threading die with handle	1/2", 3/4" and 1"	
	Jigs & Fixture (sample)-For		
123.	demonstration (May be manufactured		
	in-house)		1 no.
124.	Pulleys (for V-belt or Flat belt)	to fit on 50mm dia. Shaft	
127.		with key slot	1 no.
125.	Steel keys (May be manufactured in-	to fit with key slot of shaft &	
125.	house)	pulley	2 nos.
126.	Damaged old spur gear	to fit 50mm dia. Shaft	2 nos.
127.	V-belt and Flat belt	to fit on pulley	1 each
128.	Packing gasket	PTFE gasket roll small size	1 no.
129.	Washer, clutch, keys, jib, cotter &circlip	minimum 25mm size, carbon	
		steel material	2 each
130.	Hollow punch	Straight Shank Hollow Punch	
		Sets 5-12mm	1 set
131.	Drill Drift (May be manufactured in-	200mm hardened and black	2
	house)	finish	2 nos.
132.	Bearing different types	each type of diameter 25mm	1
	Lifting cling	(min.)	1 each
133.	Lifting sling	8mm Nominal Dia. Single leg sling	2 nos.
	Bearing extractor	Universal gear puller 2 or 3	2 1105.
134.		jaws adjustable	1 no.
125	Pulley extractor		
135.		- do -	1 no.
	LS FOR ALLIED TRADE - SHEET METAL WOR		
-	- Those additional items are to be provided	a for the Allied Trade Training w	here the
	Metal trade does not exist.)	200	1
136.	Trammel	300 mm	1 no.
137.	Pocker	100	2 nos.
138.	Prick punch	100 mm	2 nos.



139.	Mallet.	Dia. 100 mm X 150 mm	2 nos.
140.	Aviation Snips straight Cut	300 mm	2 nos.
141.	Flat headed hammers with handle.		2 nos.
142.	Planishing hammer.		2 nos.
143.	Snip bent Left Cut	250 mm	2 nos.
144.	Stake hatchet with Leg.	300 X 200 X 20 mm	2 nos.
145.	Stake grooving.	100 X 100 X 300 mm	2 nos.
D. MO	DIFIED LIST OF TOOLS FOR THE 2 <sup>ND</sup> YEAR F	OR FITTER TRADE	
INSTR	JMENT		
146.	*Slip Gauge as Johnson metric set.	87 Pieces Set	1 Set
147.	*Gauge snap Go and Not Go	25 to 50 mm by 5 mm, Set of 6 pieces	1 Set
148.	*Gauge plug	Single ended 5 to 55 by 5 mm. Set of 11 pcs.	1 Set
149.	**Gauge telescopic set.	8 - 150 mm	1 no.
150.	Dial test indicator on stand	0.01 mm least count	1 no.
151.	Sine bar	125 mm	1 no.
152.	**Dial Vernier caliper. (Universal type)	0 - 300 mm, LC 0.05 mm	1 no.
153.	**Screw thread micrometer with interchangeable. Pitch anvils for checking metric threads 60.	0 - 25 mm LC 0.01 mm	1 no.
154.	Depth micrometer. 0-25 mm	Accuracy 0.01 mm with standard set of extension rods up to 200 mm	1 no.
155.	**Digital vernier caliper.	0 - 150 mm with least count 0.02mm	1 no.
156.	**Digital Micrometer outside.	0 - 25 mm L.C. 0.001 mm.	1 no.
157.	**Comparators Gauge - Dial Indication with Stand and Bracket.	LC 0.01mm	1 no.
158.	Engineer's try square (knife-edge)	150 mm Blade	1 no.
159.	Surface roughness comparison plates	N1 - N12 Grade	1 Set
160.	Digital Vernier caliper	0 - 200 mm L.C. 0.01 mm (Optional)	1no.
161.	Vernier Bevel protector	Range 360deg, LC. : 5min(150mm blade)	1no.
GENER	AL SHOP OUTFIT		
162.	Carbide Wear Block.	1 mm - 2 mm	2 each
163.	Lathe tools H.S.S. tipped set.		2 nos.
164.	Lathe tools bit.	6 mm x 75 mm HSS/Carbide	4 nos.
165.	Lathe tools bit.	8 mm x 75 mm HSS/Carbide	4 nos.



166.	Lathe tools bit.	10 mm x 75 mm	4 nos
		HSS/Carbide	4 nos.
167.	Arm strong type tool bit holder.	Right hand	2 nos.
168.	Arm strong type tool bit holder.	Left hand	2 nos.
169.	Arm strong type tool bit holder.	Straight	2 nos.
170.	Stilson wrenches	250 mm	2 nos.
171.	Pipe cutter wheel type.	6 mm to 25 mm	1 no.
172.	Pipe bender machine spool type with stand manually operated.	up to 25 mm cold bending	1 no.
173.	Adjustable pipe chain tonge to take pipes	up to 300 mm	1 no.
174.	Adjustable spanner.	380 mm long	1 no.
E. GEN	ERAL MACHINERY INSTALLATION		
175.	*SS and SC centre lathe (all geared) with minimum specification	Centre height 150 mm and centre distance 1000 mm along with 3 & 4 jaw chucks, auto feed system, safety guard, taper turning attachment, motorized coolant system, lighting arrangement & standard accessories.	2 Nos.
176.	Pillar Type Drilling machine	Sensitive 0-20 mm cap. with swivel table motorized with chuck & key.	1 no.
177.	Drilling machine bench	Sensitive 0-12 mm cap motorized with chuck and key.	2 nos.
178.	D.E. pedestal Grinding machine with wheels rough and smooth	2 H.P3Phase-415V, 1500 rpm,250 dia. wheel	1 no.
-	OF ADDITIONAL TOOLS FOR ALLIED TRADE	-	
-	- Those additional items are to be provided	d for the Allied Trade Training w	here the
	r trade does not exist.)		
179.	Transformer welding set - continuous welding current, with all accessories and electrode holder 60% Duty Cycle with Standard Accessories	300 A, OCV 60 - 100 V,	1 Set
180.	Welder cable	Able to carry 300 amps. With flexible rubber cover	20 Meter
181.	Lugs for cable		12 Nos.
182.	Earth clamps.		2 Nos.
183.	Arc welding table (all metal top) with	1200 X 1200 X 750 mm	1 No.



	positioner.		
184.	Oxy - acetylene gas welding set		
	equipment with hoses, Oxygen &		1 Cot
	Acetylene cylinders, regulator and other		1 Set.
	accessories.		
185.	Gas welding table with positioner with		1 No
	Fire Bricks	900 X 600 X 750 mm	1 No
186.	Welding torch tips of different sizes for	To fit nozzle no. 1, 2, & 3	1 Cot
	Oxy - acetylene gas welding		1 Set
187.	Gas lighter.		2 Nos.
188.	Trolley for gas cylinders.		1 No
189.	Chipping hammer.		2 Nos.
190.	Gloves (Leather)		2 Pairs
191.	Leather apron.		2 Nos.
192.	Spindle key for cylinder valve.		2 Nos.
193.	Welding torches.	Nozzles no. 1, 2, & 3	1 Set.
194.	Welding goggles		4 Pairs.
195.	Welding helmet with coloured flame		2.11-1
	retardant glass		2 Nos.
196.	Tip cleaner		5 Sets.
#G. LIS	T OF TOOLS & ACCESSORIES FOR PNEUMA	TICS AND HYDRAULICS	
197.	Compressor unit	suitable for Pressure: 8 bar,	1 No.
		Delivery: 50 lpm (or more),	
		Reservoir capacity: 24 Litres	
		(or more), 230V, 50 Hz, with	
		pressure regulator and	
		water separator	
198.	Pneumatic Trainer Kit, each consisting of		01 sets
	the following matching components and		
	accessories:		
	I. Single acting cylinder	Max. stroke length 50 mm,	1 No
		Bore dia. 20 mm	
	II. Double acting cylinder	Max. stroke length 100 mm,	1 No
		Bore dia 20 mm, magnetic	
		type	
	III. 3/2-way valve	manually-actuated, Normally	2 Nos.
		Closed	
	IV. 3/2-way valve	pneumatically-actuated,	1 No
		spring return	
	V. One-way flow control valve		2 Nos.
	VI. 5/2-way valve	with manually-operated	1 No



	VII.	5/2-way valve	pneumatically-actuated, spring return	1 No
	VIII.	5/2-way pneumatic actuated valve	double pilot	1 No
	IX.	3/2-way roller lever valve	direct actuation Normally Closed	2 Nos.
	Χ.	Shuttle valve (OR)		1 No
	XI.	Two-pressure valve (AND)		1 No
	XII.	Pressure gauge	0-16 bar	1 Nos.
	XIII.	Manifold with self-closing	NRV, 6-way	1 No
	XIV.	Pushbutton station for electrical signal input	with 3 illuminated momentary-contact switches (1 NO + 1 NC) and 1 illuminated maintained- contact switch (1 NO + 1 NC), Contact load 2A	1 No
	XV.	Relay station	with 3 relays each with 4 contact sets (3NO+1NC or Change-over type), 5 A	1 No
	XVI.	3/2-way single solenoid valve	with LED	1 No
	XVII.	5/2-way single solenoid valve	with manual override and LED	1 No
	KVIII.	5/2-way double solenoid valve	with manual override and LED	1 No
	XIX.	Power supply unit,	Input voltage 85 – 265 V AC, Output voltage: 24 V DC, Output current: max. 4.5 A, short-circuit-proof.	1 No
	XX.	Profile plate, Anodised Aluminium	1100x700 mm, with carriers, mounting frames and mounting accessories (To be fitted onto the pneumatic workstation)	1 set
199.	mm al work s unit h and in	natic Workstation with 40 square luminium profile legs, wooden surface, and one pedestal drawer aving 5 drawers, each with handles adividual locks, on metallic full drawer slide:	<ul> <li>(1) Worktable – Size</li> <li>(Approx.)</li> <li>L1200mmXW900mmXH900</li> <li>mm, with four castor wheels</li> <li>including two lockable</li> <li>wheels at the front side, (2)</li> <li>Drawer – Size (Approx.) –</li> <li>L460mmxW495mm</li> <li>xH158mm each, and overall</li> <li>size of Drawer unit (Approx.)</li> </ul>	1 No



200.	Carrier for mounting components, such as PB & relay boxes. Cut section model for pneumatic components	- L470mmxW495mmxH825m m and (3) Drawer slide height (Approx.) 85mm.	1 No 1 set
202.	Hydraulic Trainer Kit, each consisting of the following matching components and accessories:		01 set
	I. Hydraulic Power pack	with (1) external gear pump having a delivery rate of 2.5 lpm, (approx.) @ 1400 rpm operating pressure 60 bar, coupled to a single-phase AC motor (230 V AC) having start capacitor and ON/OFF switch and overload protection, (2) pressure relief valve adjustable from 0 – 60 bar, (3) oil reservoir, ≥5 litres capacity having sight glass, drain screw, air filter, and P and T ports.	1 No.
	II. Pressure relief valve	pilot-operated	1 No
	III. Drip tray, steel	size 1160 mm x 760 mm.	1 No.
	IV. Pressure Gauge	Glycerin-damped, Indication range of: 0 – 100 bars	1 No.
	V. Four-Way distributor	with five ports, equipped with a pressure gauge	1 No.
	VI. Double acting hydraulic cylinder	with a control cam, Piston diameter16 mm, Piston rod diameter10 mm, Stroke length 200 mm.	1 No.
	VII. Suitable Weight	for vertical loading of hydraulic cylinder	1 No.
	VIII. Mounting kit for weight	for realizing pulling and pushing load.	1 No.
	IX. 3/2-way directional control valve	with hand lever actuation.	1 No.
	X. 4/2-way directional control valve	with hand lever actuation.	1 No.
	XI. 4/3-way directional control valve	closed-centre position, with	1 No.



		hand lever actuation.	
	XII. Non-return valve.		1 No.
	XIII. Pilot-operated check valve	Pilotto open.	1 No.
	XIV. One-way flow control valve	Withintegrated check valve.	1 No.
	XV. T-Connector with self-sealing coupling nipples (2 Nos.) and		2 Nos.
	quick coupling socket (1 No.).		
	XVI. Profile plate,	Anodised Aluminium, 1100x700 mm, with carriers, mounting frames and mounting accessories (To be fitted onto the Hydraulic workstation)	1 set
203.	Hydraulic Workstation with 40 square mm aluminium profile legs, wooden work surface, and one pedestal drawer unit having 5 drawers, each with handles and individual locks, on metallic full panel drawer slide:	(Approx.) L1200mmXW900mmXH900 mm, with four castor wheels	1 No
204.	Cut-section models for hydraulic		1 set
	components		

Note: -

- 1. All the tools and equipment are to be procured as per BIS specification.
- 2. For items under #G (List of Tools & Accessories for Pneumatics and Hydraulics), may be installed in the existing workshop for units up to 8 (4+4). For units beyond 8(4+4), separate room (having area: 20 sq. m) for installation of these items is essential.
- 3. (\*) No additional number of items are required to be provided up to four batches of trainees i.e. two batches in the first shift and two in the second shift. (\*\*) Only one number need be provided in each I.T.I. irrespective of No. of Units.
- 4. Internet facility is desired to be provided in the classroom.



The DGT sincerely acknowledges contributions of the Industries, State Directorates, Trade Experts, Domain Experts, trainers of ITIs, NSTIs, faculties from universities and all others who contributed in revising the curriculum.

Special acknowledgement is extended by DGT to the following expert members who had contributed immensely in this curriculum.

List of Expert members contributed/ participated for finalizing the course curriculum of

S No.	Name & Designation Shri/Mr./Ms.	Organization	Remarks	
1.	DEEPANKAR MALLICK,	DGT, MSDE, New Delhi	Chairman	
	DDG (Trg.)			
2.	H. V. SAMVATSAR,	CSTARI, Kolkata	Secretary	
	Director		(Trade	
			Committee)	
3.	NIRMALYA NATH	CSTARI, Kolkata	Member cum	
	Asst. Director of Trg.		Co-	
			coordinator	
4.	RAJENDRA PRASAD	DTE, Uttar Pradesh	Member	
	Director			
5.	R. N. BANDYOPADHAYA	Paschim Banga Society For Skill	Member	
	OSD	Development, Kolkata		
6.	SUMANTA MODAK,	EVEREADY Industries Pvt. Ltd.	Member	
	General Manager (Works)	(Representative of <b>CII</b> )		
7.	S. D. SATISH CHANDRA,	HAL – Koraput Division, Koraput,	Member	
	Manager (HR), Trg.	Odisha		
8.	SUMANTA CHATTERJEE	BHEL, Power Sector ER	Member	
	Addl. General Manager			
9.	P. C. BHANDARI	J K Cement Ltd.	Member	
	Technical Advisor	Kanpur		
10.	SANJIT BHOWMICK	Hindalco Industries Ltd., Belur	Member	
	Asst. General Manager	Math, Howrah		
11.	DEBASHIS BHATTACHARYYA,	Rifle Factory, Ishapore, Ministry	Member	
	JWM,/FTI	of Defence, Govt. India, WB		
12.	SATYABADI SATAPATHY	HAL – Koraput Division, Koraput,	Member	



	Training Officer	Odisha	
13.	PRABHAT SAMIR PAL	GRSE Ltd., Kolkata	Member
	Jr. Manager		
14.	JOYDEEP PAL MAJUMDER	Rifle Factory, Ishapore, Ministry	Member
	Asst. Work Manager	of Defence, Govt. India, WB	
15.	BHABANI PROSAD MONDAL	Rifle Factory, Ishapore, Ministry	Member
	CM/FTI	of Defence, Govt. India, WB	
16.	SUNIRMAL BASU,	Railway Workshop, Kanchrapara	Member
	Asst. Inspecting Officer		
17.	K. L. KULI	CSTARI, Kolkata	Member
	Joint Director of Trg.		
18.	M. THAMIZHARASAN,	CSTARI, Kolkata	Member
	Joint Director of Trg.		
19.	SANJAY KUMAR	CSTARI, Kolkata	Member
	Joint Director of Trg.		
20.	L. K. MUKHERJEE	CSTARI, Kolkata	Member
24	Dy. Director of Trg.		
21.	U. K. MALLICK,	DTE&T, Odisha	Member
	Dy. Director		
22.	N. R. PATTANAIK	Govt. ITI Balasore, Odisha	Member
	Principal		
23.	DEEPAK KUMAR,	Railway Workshop, Kanchrapara	Member
	SSE/Drg./C&W		
24.	D. W. PATNE,	Association of Non Govt. ITI,	Member
	Secretary	Maharastra	
25.	VIVEK CHAUDHARI	Ujjwal ITI Nashirabad, Dist-	Member
	Principal	Jalgoan, Maharastra	
26.	Fr. JOSE PADAMATTAM	Don Bosco Technical Institute,	Member
	Principal	Park Circus	
27.	SWAMI GUNINDRANANDA	R. K. Mission	Member
	Superintendent	ShilpayatanBelurmath, Howrah	
28.	TAPAS SENGUPTA,	ITI Howrah Homes	Member
	Instructor		
29.	DEBIPROSHAD SARKAR,	ITI Howrah Homes	Member
	Instructor		
30.	G. B. KOLAPATE,	Govt. ITI Andhari, Mumbai,	Member
	Instructor	Maharastra	
31.	H. B. KOSHTI,	Govt. ITI Byculla, Mumbai -	Member



	Craft Instructor	400011	
32.	NAGESH BALAKRISHNA NARKAR,	ITI Ambernath, Thane,	Member
	Craft Instructor	Maharastra	
33.	PARTHA SARKAR,	Railway Workshop, Kanchrapara	Member
	Jr. Engineer/Drawing (Mech.)		
34.	SWAPAN K. BHATTACHARYA	STC/KPA, Eastern Railways,	Member
	Instructor	Kanchrapara	
35.	BIKASH CHAUDHURI,	Ramakrishna Mission	Member
	Instructor	Shilpayatan, Belur, Howah	
36.	SACHIN M. LAMSE	ITI Aundh, Pune, Maharastra	Member
	Instructor		
37.	SOMNATH B. SAPKAL,	ITI Anudh, Pune, Maharastra	Member
	Instructor		
38.	K. K. PANIGRAHI	Gun Shell Factory, Cossipore	Member
	Instructor		
39.	R. N. MANNA,	CSTARI, Kolkata	Member
	Training Officer		
40.	HARADHAN DAS,	CSTARI, Kolkata	Member
	Training Officer		
41.	TARAKNATH GARAI	ITI Howrah Homes	Member
	Instructor		
42.	SUDHANGSHU MUKHERJEE,	Eastern Railway, Kanchrapara	Member
	Sr. Tech./Dy. CEE/KPN		
43.	S. N. TAMBATKAR,	Govt. ITI, Adheri, Mumbai	Member
	Craft Instructor		

S No.	Name & Designation Shri/Mr./Ms.	Organization	Mentor Council Designation
Members of Sector Mentor council			
1.	A. D. Shahane, Vice- President, (Corporate Trg.)	Larsen &Tourbo Ltd., Mumbai:400001	Chairman
2.	Dr.P.K.Jain, Professor	IIT, Roorkee, Roorkee-247667, Uttarakhand	Member
3.	N. Ramakrishnan, Professor	IIT Gandhinagar, Gujarat-382424	Member
4.	Dr.P.V.Rao, Professor	IIT Delhi, New Delhi-110016	Member
5.	Dr.Debdas Roy, Asstt. Professor	NIFFT, Hatia, Ranchi-834003, Jharkhand	Member



6.	Dr. Anil Kumar Singh, Professor	NIFFT, Hatia, Ranchi-834003, Jharkhand	Member
7.	Dr.P.P.Bandyopadhyay	IIT Kharagpur, Kharagpur-721302,	Member
8.	Professor Dr.P.K.Ray, Professor	West Bengal IIT Kharagpur, Kharagpur- 721302, West Bengal	Member
9.	S. S. Maity, MD	Central Tool Room & Training Centre (CTTC), Bhubaneswar	Member
10.	Dr. Ramesh Babu N, Professor	IIT Madras, Chennai	Member
11.	R.K. Sridharan, Manager/HRDC	Bharat Heavy Electricals Ltd, Ranipet, Tamil Nadu	Member
12.	N. Krishna Murthy Principal Scientific Officer	CQA(Heavy Vehicles), DGQA, Chennai, Tamil Nadu	Member
13.	Sunil Khodke Training Manager	Bobst India Pvt. Ltd., Pune	Member
14.	Ajay Dhuri	TATA Motors, Pune	Member
15.	UdayApte	TATA Motors, Pune	Member
16.	H B Jagadeesh, Sr. Manager	HMT, Bengaluru	Member
17.	K Venugopal Director & COO	NTTF, Peenya, Bengaluru	Member
18.	B.A.Damahe, Principal L&T Institute of Technology	L&T Institute of Technology, Mumbai	Member
19.	Lakshmanan. R Senior Manager	BOSCH Ltd., Bengaluru	Member
20.	R C Agnihotri Principal	Indo- Swiss Training Centre Chandigarh, 160030	Member
21.	M. K. Verma, Sr. Manager Trg. Capability Development	SNTI, TATA Steel Ltd., Jamshedpur	Member
22.	N.K. Thakur, DGM-Trg.	L&T, Construction and Mining Machinery, Kanchipuram.	Member
23.	Vijayan K T	Volkswagen Academy, Pune	Member
Mento	or	<u> </u>	
24.	Sunil Kumar Gupta, Director	DGET HQ, New Delhi.	Mentor
Memb	pers of Core Group		
25.	N. Nath. (ADT)	CSTARI, Kolkata	Co-ordinator
26.	H.Charles (TO)	NIMI, Chennai.	Member
27.	Sukhdev Singh (JDT)	ATI Kanpur	Team Leader



		T	
28.	Ravi Pandey (V.I)	ATI Kanpur	Member
29.	A.K. Nasakar (T.O)	ATI Kolkata	Member
30.	Samir Sarkar (T.O)	ATI Kolkata	Member
31.	J. Ram EswaraRao (T.O)	RDAT Hyderabad	Member
32.	T.G. Kadam (T.O)	ATI Mumbai	Member
33.	K. Mahendar (DDT)	ATI Chennai	Member
34.	Shrikant S Sonnavane (T.O)	ATI Mumbai	Member
35.	K. Nagasrinivas(DDT)	ATI Hyderabad	Member
36.	G.N. Eswarappa (DDT)	FTI Bangalore	Member
37.	G. Govindan, Sr. Draughtsman	ATI Chennai	Member
38.	M.N.Renukaradhya, Dy.Director/Principal Grade I.,	Govt. ITI, Tumkur Road, Banglore, Karnataka	Member
39.	B.V.Venkatesh Reddy. JTO	Govt. ITI, Tumkur Road, Banglore, Karnataka	Member
40.	N.M.Kajale, Principal	Govt. ITI Velhe, Distt: Pune, Maharashtra	Member
41.	SubrataPolley, Instructor	ITI Howrah Homes, West Bengal	Member
42.	Vinod KumarR Sr.Instructor	Govt.ITIDhanuvachapuram Trivandrum, Dist., Kerala	Member
43.	M. Anbalagan, B.E., Assistant Training Officer	Govt. ITI Coimbatore, Tamil Nadu	Member
44.	L.K.Mukherjee, DDT	CSTARI, Kolkata	Member
45.	R. N. Manna, TO	CSTARI, Kolkata	Member
Other	industry representatives		
46.	VenugopalParvatikar	Skill Sonics, Bangalore	Member
47.	VenkataDasari	Skill Sonics, Bangalore	Member
48.	Srihari, D	CADEM Tech. Pvt. Ltd., Bengaluru	Member
49.	Dasarathi.G.V.	CADEM Tech. Pvt. Ltd., Bengaluru	Member
50.	L.R.S.Mani	Ohm Shakti Industries, Bengaluru	Member
51.	P. Joji, Ex-JDT	DGT, MSDE, New Delhi	Member
52.	K. Lakshmi Narayanan	Skill Development Centre, JBM Auto System Pvt. Ltd., Kancheepuram	Member



## **ABBREVIATIONS**

CTS	Craftsmen Training Scheme
ATS	Apprenticeship Training Scheme
CITS	Craft Instructor Training Scheme
DGT	Directorate General of Training
MSDE	Ministry of Skill Development and Entrepreneurship
NTC	National Trade Certificate
NAC	National Apprenticeship Certificate
NCIC	National Craft Instructor Certificate
LD	Locomotor Disability
СР	Cerebral Palsy
MD	Multiple Disabilities
LV	Low Vision
НН	Hard of Hearing
ID	Intellectual Disabilities
LC	Leprosy Cured
SLD	Specific Learning Disabilities
DW	Dwarfism
MI	Mental Illness
AA	Acid Attack
PwD	Person with disabilities



